2026
CATALOG

Elektromarla

since 1954

miniBar



Designed
for Hospitality,
Built to Last.

elektromarla.com

MINIBARS | SAFES | HAIR DRYERS | HOTEL EQUIPMENT

BUILT FOR HOSPITALITY

Where innovation meets
precision and quality.



1954 – PRESENT

PIONEER IN THE INDUSTRY

Since 1954, Elektromarla has been the first “minibar factory” and the first company that imported and exported minibars in Turkey.

Elektromarla has been a pioneer in the industry since its foundation and has specialized in absorption systems for 70 years, as a solution partner for hotels, hospitals, yachts and caravans.





BUILT FOR HOSPITALITY

PRODUCT VARIETY & QUALITY

Elektromarla, remembered for its product variety and quality in the hotel equipment sector, always works with a customer-satisfaction focus throughout production.

Preferred by the highest-quality hotels and hospitals in the sector, Elektromarla develops its minibar design and production with an international vision.

REFERENCES

SOHO HOUSE
JW MARRIOTT
THE MARMARA HOTELS & RESIDENCES
RIXOS HOTELS
TITANIC HOTELS & RESORTS
Radisson BLU HOTELS & RESORTS
GLORIA HOTELS & RESORTS
divan
INTERCONTINENTAL HOTELS & RESORTS
POLAT İSTANBUL | ANKARA | İZMİR HOTELS
Mercure HOTELS
MÖVENPICK
GOLDEN TULIP HOTELS • INNS • RESORTS
Limak
Sheraton HOTELS & RESORTS
Hilton
CROWNE PLAZA HOTELS & RESORTS
THE HOUSE HOTEL
STEIGENBERGER HOTEL
HYATT
Best Western
Clarion Hotel
Holiday Inn
MEDICALPARK
KOÇ ÜNİVERSİTESİ FLORENCE NIGHTINGALE
AMERİKAN HASTANESİ
MEDİPOL SAĞLIK GRUBU
BJK 1903
FENERBAHÇE SPOR KULÜBÜ 1907
1905
BURSASPOR 1963
TUI BLUE
emir hotels

CERTIFICATIONS

Trusted to International Standards



Our products have successfully passed tests and audits carried out by internationally accredited bodies, meeting the highest standards of quality, safety and sustainability.

TÜV SÜD · SGS · intertek Total Quality. Assured. · TÜVRheinland® · CE

TEST REPORTS

The conformity of our products with international standards is documented by test reports from independent, accredited laboratories.

TÜV RHEINLAND — CB

CB Test Certificate · Peltier



STANDARD	REPORT NO.
IEC 60335-2-24	DE 2-046354

TÜV RHEINLAND — CB

CB Test Certificate · Inverter



STANDARD	REPORT NO.
IEC 60335-2-24	DE 2-046355

TÜV RHEINLAND — LVD

Safety Test Report · Peltier



STANDARD	REPORT NO.
IEC 60335-2-24	TR258X1H 001

TÜV RHEINLAND — LVD

Safety Test Report · Inverter



STANDARD	REPORT NO.
IEC 60335-2-24	TR25U20V 001

TÜV RHEINLAND — EMC

EMC Test Report · PEL 45 CS



STANDARD	REPORT NO.
EN IEC 55014	TR26JQGC 001

TÜV RHEINLAND — EMC

EMC Test Report · INV 45 CS



STANDARD	REPORT NO.
EN IEC 55014	TR266ZNG 001

CONTENTS

MARLA HOTEL EQUIPMENT COLLECTION

DETAILS MAKE DIFFERENCE.

Thoughtfully designed hotel equipment for every detail of your guest experience.



	MINIBAR SYSTEMS	08
	MINIBARS	09–40
	HOTEL SAFES	41–47
	KETTLES & TRAYS	48–57
	HOTEL HAIR DRYERS	58–64
	LUGGAGE RACKS	65–68
	VANITY MIRRORS	69–73
	WELCOME TRAYS	74–76
	IRONING SET	77–79
	HOTEL PHONES	80–81
	FLOOR EQUIPMENT	82–89
	WOODEN HANGERS	90
	LOBBY EQUIPMENT	91
	LEATHER ACCESSORIES	92–95

MINIBAR

COOLING TECHNOLOGIES

THREE ADVANCED SYSTEMS.
TAILORED FOR EVERY NEED.



SILENT
BY DESIGN

ABSORPTION SYSTEM


- No mechanical equipment is used.
- Completely silent and vibration free.
- Cools between +4 and +14 °C at ambient temperatures of +16 to +32 °C.
- Cooling performance calculated with DELTA-T constant value.



A+++
EFFICIENCY

INVERTER SYSTEM

- Works with a BLDC motor.
- Intelligent algorithm detects the need for cooling.
- Very low electricity consumption with A+++ energy label.
- Provides 90% less electricity consumption than Absorption System Minibars.
- Compressor noise: ~26 dB during start-stops (sleep mode) – very low and accepted by hotels.



COMPACT &
VIBRATIONLESS

THERMOELECTRIC PELTIER SYSTEM

- Completely silent cooling (0 dB).
- No compressors, no fans – no vibrations.
- 70% less energy consumption than Absorption System Minibars.
- High technical performance in a compact design.

NOISE LEVEL

ABSORPTION	0 dB
INVERTER	~26 dB (start-stops)
PELTIER	0 dB

ENERGY CONSUMPTION

ABSORPTION	Baseline
INVERTER	90% less than Absorption
PELTIER	70% less than Absorption

COOLING PRINCIPLE

ABSORPTION	Absorption cycle (no moving parts)
INVERTER	Compressor with inverter control
PELTIER	Thermoelectric (Peltier effect)

ABSORPTION MINIBAR

Elektromarla Absorption System Minibars do not disturb your hotel guests with unpleasant sounds.



DR 35 S

ABSORPTION MINIBAR

SILENT OPERATION. RELIABLE COOLING. DESIGNED FOR MODERN HOSPITALITY.

Elektromarla DR 35 S combines completely silent absorption cooling with a compact 35 L solid-door design, delivering reliable, vibration-free performance for modern hotel rooms.

ABSOLUTELY SILENT OPERATION
Compressor-free cooling for silent 0 dB operation.

DAILY ENERGY CONSUMPTION
Efficient operation at just 0.9 kWh/24h.

RELIABLE ABSORPTION COOLING
Ammonia absorption delivers dependable cooling.

SOLID DOOR DESIGN
Solid door gives a clean, discreet appearance.

PRACTICAL 35 L INTERIOR
35 L practical storage for guest beverages.

INTERIOR LED LIGHT
Soft LED lighting provides better visibility and presentation.

IDEAL FOR

HOTELS · RESORTS · CRUISE SHIPS · HOSPITALS




ANGLES



TECHNICAL SPECIFICATIONS

Gross Volume	35
Cooling System	ABSORPTION
Temp. Range	4–8 °C
Noise Level	0 dB
Refrigerant	NH3
Climate Class	N
Voltage	220–240 V
Dimensions (mm)	385 x 430 x 535
Net Weight	14.0
Loading 20/40	240/480
Package (mm)	450 x 500 x 600
Energy Use	0.9 kWh/24h

DIMENSIONS



CERTIFICATIONS

CE

TÜVRheinland CERTIFIED

WARRANTY

3 YEARS



SILENCE IN A COMPACT FORM.

Compact 35 L capacity and completely silent absorption cooling create discreet comfort for modern guest rooms.

0 dB ABSORPTION
Silent comfort for your guests.

ENERGY SAVING
0.9 kWh/24h in continuous operation.

STABLE COOLING
Steady control from +4 °C to +8 °C.

BUILT FOR HOTELS
Reliable performance in daily hotel use.

CFC FREE
NH3 absorption for a sustainable future.

DRC 35 S

ABSORPTION MINIBAR

SILENT OPERATION. RELIABLE COOLING. DESIGNED FOR MODERN HOSPITALITY.

Elektromarla DRC 35 S combines completely silent absorption cooling with an elegant 35 L glass-door design, providing clear product visibility and reliable performance for hospitality interiors.

ABSOLUTELY SILENT OPERATION
Compressor-free cooling for silent 0 dB operation.

DAILY ENERGY CONSUMPTION
Efficient operation at just 1.0 kWh/24h.

RELIABLE ABSORPTION COOLING
Ammonia absorption delivers dependable cooling.

GLASS DOOR DISPLAY
Glass door gives clear product visibility.

PRACTICAL 35 L INTERIOR
35 L practical storage for guest beverages.

FURNITURE DOOR SLIDER
Optional slider allows seamless cabinet fitting.

IDEAL FOR

HOTELS · RESORTS · CRUISE SHIPS · HOSPITALS




ANGLES



TECHNICAL SPECIFICATIONS

Gross Volume	35
Cooling System	ABSORPTION
Temp. Range	4–8 °C
Noise Level	0 dB
Refrigerant	NH3
Climate Class	N
Voltage	220–240 V
Dimensions (mm)	385 x 440 x 525
Net Weight	15.0
Loading 20/40	240/500
Package (mm)	450 x 500 x 600
Energy Use	1.0 kWh/24h

DIMENSIONS



CERTIFICATIONS

CE

TÜVRheinland CERTIFIED

WARRANTY

3 YEARS



CLEAR VIEW. COMPLETE SILENCE.

Elegant glass-door visibility meets silent, vibration-free absorption cooling in a compact 35 L format.

0 dB ABSORPTION
Silent comfort for your guests.

ENERGY SAVING
1.0 kWh/24h in continuous operation.

STABLE COOLING
Steady control from +4 °C to +8 °C.

BUILT FOR HOTELS
Reliable performance in daily hotel use.

CFC FREE
NH3 absorption for a sustainable future.

DR 40 S

ABSORPTION MINIBAR

SILENT OPERATION. RELIABLE COOLING. DESIGNED FOR MODERN HOSPITALITY.

Elektromarla DR 40 S combines completely silent absorption cooling with a practical 40 L solid-door design, delivering reliable, vibration-free performance for modern hospitality environments.

ABSOLUTELY SILENT OPERATION
Compressor-free cooling for silent 0 dB operation.

DAILY ENERGY CONSUMPTION
Efficient operation at just 0.9 kWh/24h.

RELIABLE ABSORPTION COOLING
Ammonia absorption delivers dependable cooling.

SOLID DOOR DESIGN
Solid door gives a clean, discreet appearance.

PRACTICAL 40 L INTERIOR
40 L practical storage for guest beverages.

INTERIOR LED LIGHT
Soft LED lighting provides better visibility and presentation.

IDEAL FOR

HOTELS · RESORTS · CRUISE SHIPS · HOSPITALS




ANGLES



TECHNICAL SPECIFICATIONS

Gross Volume	40
Cooling System	ABSORPTION
Temp. Range	4–8 °C
Noise Level	0 dB
Refrigerant	NH3
Climate Class	N
Voltage	220–240 V
Dimensions (mm)	405 x 430 x 525
Net Weight	15.0
Loading 20/40	240/500
Package (mm)	450 x 500 x 600
Energy Use	0.9 kWh/24h

DIMENSIONS



CERTIFICATIONS

CE

TÜVRheinland CERTIFIED

WARRANTY

3 YEARS



QUIET COMFORT. PRACTICAL CAPACITY.

A practical 40 L interior and silent absorption cooling provide dependable comfort for hotel rooms.

0 dB ABSORPTION
Silent comfort for your guests.

ENERGY SAVING
0.9 kWh/24h in continuous operation.

STABLE COOLING
Steady control from +4 °C to +8 °C.

BUILT FOR HOTELS
Reliable performance in daily hotel use.

CFC FREE
NH3 absorption for a sustainable future.

DRC 40 S

ABSORPTION MINIBAR

SILENT OPERATION. RELIABLE COOLING. DESIGNED FOR MODERN HOSPITALITY.

Elektromarla DRC 40 S combines completely silent absorption cooling with an elegant 40 L glass-door design, delivering reliable performance and clear product visibility for modern hotel rooms.

ABSOLUTELY SILENT OPERATION
Compressor-free cooling for silent 0 dB operation.

DAILY ENERGY CONSUMPTION
Efficient operation at just 1.0 kWh/24h.

RELIABLE ABSORPTION COOLING
Ammonia absorption delivers dependable cooling.

GLASS DOOR DISPLAY
Glass door gives clear product visibility.

PRACTICAL 40 L INTERIOR
40 L practical storage for guest beverages.

INTERIOR LED LIGHT
Soft LED lighting provides better visibility and presentation.

IDEAL FOR

HOTELS · RESORTS · CRUISE SHIPS · HOSPITALS




ANGLES



TECHNICAL SPECIFICATIONS

Gross Volume	40
Cooling System	ABSORPTION
Temp. Range	4–8 °C
Noise Level	0 dB
Refrigerant	NH3
Climate Class	N
Voltage	220–240 V
Dimensions (mm)	406 x 440 x 525
Net Weight	14.0
Loading 20/40	240/500
Package (mm)	450 x 500 x 600
Energy Use	1.0 kWh/24h

DIMENSIONS




CERTIFICATIONS

CE

TÜVRheinland CERTIFIED

WARRANTY

3 YEARS



VISIBILITY MEETS SILENCE.

Clear glass-door presentation and completely silent absorption cooling bring convenience to modern hospitality spaces.

0 dB ABSORPTION
Silent comfort for your guests.

ENERGY SAVING
1.0 kWh/24h in continuous operation.

STABLE COOLING
Steady control from +4 °C to +8 °C.

BUILT FOR HOTELS
Reliable performance in daily hotel use.

CFC FREE
NH3 absorption for a sustainable future.

DR 45 S

ABSORPTION MINIBAR

SILENT OPERATION. RELIABLE COOLING. DESIGNED FOR MODERN HOSPITALITY.

Elektromarla DR 45 S combines increased 45 L capacity with completely silent absorption cooling and a solid-door design, providing reliable, vibration-free performance for demanding hospitality environments.

ABSOLUTELY SILENT OPERATION
Compressor-free cooling for silent 0 dB operation.

DAILY ENERGY CONSUMPTION
Efficient operation at just 0.9 kWh/24h.

RELIABLE ABSORPTION COOLING
Ammonia absorption delivers dependable cooling.

SOLID DOOR DESIGN
Solid door gives a clean, discreet appearance.

PRACTICAL 45 L INTERIOR
45 L practical storage for guest beverages.

FURNITURE DOOR SLIDER
Optional slider allows seamless cabinet fitting.

IDEAL FOR

HOTELS · RESORTS · CRUISE SHIPS · HOSPITALS




ANGLES



TECHNICAL SPECIFICATIONS

Gross Volume	45
Cooling System	ABSORPTION
Temp. Range	4–8 °C
Noise Level	0 dB
Refrigerant	NH3
Climate Class	N
Voltage	220–240 V
Dimensions (mm)	405 x 470 x 565
Net Weight	16.0
Loading 20/40	210/421
Package (mm)	450 x 550 x 600
Energy Use	0.9 kWh/24h

DIMENSIONS



CERTIFICATIONS

CE

TÜVRheinland CERTIFIED

WARRANTY

3 YEARS



MORE SPACE. TOTAL SILENCE.

Increased 45 L capacity and silent, vibration-free absorption cooling support demanding hospitality environments.

0 dB ABSORPTION
Silent comfort for your guests.

ENERGY SAVING
0.9 kWh/24h in continuous operation.

STABLE COOLING
Steady control from +4 °C to +8 °C.

BUILT FOR HOTELS
Reliable performance in daily hotel use.

CFC FREE
NH3 absorption for a sustainable future.

DRC 45 S

ABSORPTION MINIBAR

SILENT OPERATION. RELIABLE COOLING. DESIGNED FOR MODERN HOSPITALITY.

Elektromarla DRC 45 S combines increased 45 L capacity with completely silent absorption cooling and an elegant glass-door design, delivering clear product visibility for modern hospitality interiors.

ABSOLUTELY SILENT OPERATION
Compressor-free cooling for silent 0 dB operation.

DAILY ENERGY CONSUMPTION
Efficient operation at just 1.0 kWh/24h.

RELIABLE ABSORPTION COOLING
Ammonia absorption delivers dependable cooling.

GLASS DOOR DISPLAY
Glass door gives clear product visibility.

PRACTICAL 45 L INTERIOR
45 L practical storage for guest beverages.

FURNITURE DOOR SLIDER
Optional slider allows seamless cabinet fitting.



ANGLES




IDEAL FOR

HOTELS · RESORTS · CRUISE SHIPS · HOSPITALS

TECHNICAL SPECIFICATIONS

Gross Volume	45
Cooling System	ABSORPTION
Temp. Range	4–8 °C
Noise Level	0 dB
Refrigerant	NH3
Climate Class	N
Voltage	220–240 V
Dimensions (mm)	405 x 480 x 565
Net Weight	16.0
Loading 20/40	210/421
Package (mm)	450 x 550 x 600
Energy Use	1.0 kWh/24h

DIMENSIONS




CERTIFICATIONS

CE

TÜVRheinland CERTIFIED

WARRANTY

3 YEARS



CAPACITY MEETS PRESENTATION.

Increased 45 L capacity and elegant glass-door visibility combine with completely silent absorption cooling.

0 dB ABSORPTION
Silent comfort for your guests.

ENERGY SAVING
1.0 kWh/24h in continuous operation.

STABLE COOLING
Steady control from +4 °C to +8 °C.

BUILT FOR HOTELS
Reliable performance in daily hotel use.

CFC FREE
NH3 absorption for a sustainable future.



ABSORPTION MINIBAR

ALL BLACK EDITION

DRC 35 S All Black

ABSORPTION MINIBAR

SILENT OPERATION. RELIABLE COOLING. DESIGNED FOR MODERN HOSPITALITY.

Elektromarla DRC 35 S All Black Edition combines completely silent absorption cooling with a distinctive all-black glass-door design, offering clear product visibility and refined style for contemporary hotel rooms.

ABSOLUTELY SILENT OPERATION
Compressor-free cooling for silent 0 dB operation.

DAILY ENERGY CONSUMPTION
Efficient operation at just 1.0 kWh/24h.

RELIABLE ABSORPTION COOLING
Ammonia absorption delivers dependable cooling.

ALL-BLACK GLASS DOOR
All-black glass door gives clear visibility.

PRACTICAL 35 L INTERIOR
35 L practical storage for guest beverages.

FURNITURE DOOR SLIDER
Optional slider allows seamless cabinet fitting.

IDEAL FOR

HOTELS · RESORTS · CRUISE SHIPS · HOSPITALS




ANGLES



TECHNICAL SPECIFICATIONS

Gross Volume	35
Cooling System	ABSORPTION
Temp. Range	4–8 °C
Noise Level	0 dB
Refrigerant	NH3
Climate Class	N
Voltage	220–240 V
Dimensions (mm)	385 x 440 x 535
Net Weight	15.0
Loading 20/40	240/500
Package (mm)	450 x 500 x 600
Energy Use	1.0 kWh/24h

DIMENSIONS



CERTIFICATIONS

CE

TÜVRheinland CERTIFIED

WARRANTY

3 YEARS



BLACK ELEGANCE. ZERO NOISE.

An all-black glass-door design combines with completely silent absorption cooling for refined hospitality interiors.

0 dB ABSORPTION
Silent comfort for your guests.

ENERGY SAVING
1.0 kWh/24h in continuous operation.

STABLE COOLING
Steady control from +4 °C to +8 °C.

BUILT FOR HOTELS
Reliable performance in daily hotel use.

CFC FREE
NH3 absorption for a sustainable future.

DRC 40 S All Black

ABSORPTION MINIBAR

SILENT OPERATION. RELIABLE COOLING. DESIGNED FOR MODERN HOSPITALITY.

Elektromarla DRC 40 S All Black Edition combines completely silent absorption cooling with a sophisticated all-black glass-door design, offering practical capacity and refined style for contemporary hospitality interiors.

ABSOLUTELY SILENT OPERATION
Compressor-free cooling for silent 0 dB operation.

DAILY ENERGY CONSUMPTION
Efficient operation at just 0.90 kWh/24h.

RELIABLE ABSORPTION COOLING
Ammonia absorption delivers dependable cooling.

ALL-BLACK GLASS DOOR
All-black glass door gives clear visibility.

PRACTICAL 40 L INTERIOR
40 L practical storage for guest beverages.

FURNITURE DOOR SLIDER
Optional slider allows seamless cabinet fitting.

IDEAL FOR

HOTELS · RESORTS · CRUISE SHIPS · HOSPITALS




ANGLES



TECHNICAL SPECIFICATIONS

Gross Volume	40
Cooling System	ABSORPTION
Temp. Range	4–8 °C
Noise Level	0 dB
Refrigerant	NH3
Climate Class	N
Voltage	220–240 V
Dimensions (mm)	406 x 440 x 525
Net Weight	15.2
Loading 20/40	240/500
Package (mm)	450 x 500 x 600
Energy Use	0.90 kWh/24h

DIMENSIONS




CERTIFICATIONS

CE

TÜVRheinland CERTIFIED

WARRANTY

3 YEARS



SILENT. IN BLACK.

A sophisticated all-black appearance pairs with vibration-free absorption cooling and practical 40 L capacity.

0 dB ABSORPTION
Silent comfort for your guests.

ENERGY SAVING
0.90 kWh/24h in continuous operation.

STABLE COOLING
Steady control from +4 °C to +8 °C.

BUILT FOR HOTELS
Reliable performance in daily hotel use.

CFC FREE
NH3 absorption for a sustainable future.

DRC 45 S All Black

ABSORPTION MINIBAR

SILENT OPERATION. RELIABLE COOLING. DESIGNED FOR MODERN HOSPITALITY.

Elektromarla DRC 45 S All Black Edition combines increased 45 L capacity with completely silent absorption cooling and a bold all-black glass-door design for contemporary hotel rooms.

ABSOLUTELY SILENT OPERATION
Compressor-free cooling for silent 0 dB operation.

DAILY ENERGY CONSUMPTION
Efficient operation at just 1.0 kWh/24h.

RELIABLE ABSORPTION COOLING
Ammonia absorption delivers dependable cooling.

ALL-BLACK GLASS DOOR
All-black glass door gives clear visibility.

PRACTICAL 45 L INTERIOR
45 L practical storage for guest beverages.

FURNITURE DOOR SLIDER
Optional slider allows seamless cabinet fitting.

IDEAL FOR

HOTELS · RESORTS · CRUISE SHIPS · HOSPITALS




ANGLES



TECHNICAL SPECIFICATIONS

Gross Volume	45
Cooling System	ABSORPTION
Temp. Range	4–8 °C
Noise Level	0 dB
Refrigerant	NH3
Climate Class	N
Voltage	220–240 V
Dimensions (mm)	405 x 480 x 565
Net Weight	16.0
Loading 20/40	210/421
Package (mm)	450 x 550 x 600
Energy Use	1.0 kWh/24h

DIMENSIONS



CERTIFICATIONS

CE

TÜVRheinland CERTIFIED

WARRANTY

3 YEARS



BOLD BLACK. QUIET CAPACITY.

An all-black glass-door design, increased capacity and silent absorption cooling create a distinctive guest-room experience.

0 dB ABSORPTION
Silent comfort for your guests.

ENERGY SAVING
1.0 kWh/24h in continuous operation.

STABLE COOLING
Steady control from +4 °C to +8 °C.

BUILT FOR HOTELS
Reliable performance in daily hotel use.

CFC FREE
NH3 absorption for a sustainable future.



THERMOELECTRIC PELTIER MINIBAR

Thermoelectric Peltier Minibar provides completely silent cooling (0 dB) without any vibration or noise.

Peltier minibars consume 70% less energy than Absorption System Minibars.

PEL 35 S

COMPLETE SILENCE. SMART EFFICIENCY. DESIGNED FOR MODERN HOSPITALITY.

Elektromarla PEL 35 S combines a compact 35 L solid-door design with completely silent Peltier cooling, delivering compressor-free, vibration-free performance for modern hotel rooms.

ABSOLUTELY SILENT OPERATION
Thermoelectric cooling, silent 0 dB operation.

DAILY ENERGY CONSUMPTION
Efficient operation at just 0.50 kWh/24h.

THERMOELECTRIC COOLING
Peltier cooling is dependable and vibration-free.

SOLID DOOR DESIGN
Solid door gives a clean, discreet appearance.

PRACTICAL 35 L INTERIOR
35 L practical storage for guest beverages.

FURNITURE DOOR SLIDER
Optional slider allows seamless cabinet fitting.

IDEAL FOR

HOTELS · RESORTS · CRUISE SHIPS · HOSPITALS




ANGLES



TECHNICAL SPECIFICATIONS

Gross Volume	35
Cooling System	THERMOELECTRIC
Temp. Range	3–7 °C
Noise Level	0 dB
Refrigerant	THERMOELECTRIC
Climate Class	N
Voltage	220 - 240 Volt
Dimensions (mm)	385 x 430 x 525
Net Weight	14.0
Loading 20/40	240/500
Package (mm)	450 x 500 x 600
Energy Use	0.50 kWh/24h

DIMENSIONS



CERTIFICATIONS

CE

TÜVRheinland CERTIFIED

WARRANTY

3 YEARS



COMPACT SIZE. COMPLETE SILENCE.

Compact 35 L storage and vibration-free thermoelectric cooling fit naturally into modern guest rooms.

0 dB PELTIER
No compressor, no vibration.

ENERGY SAVING
0.50 kWh/24h in continuous operation.

STABLE COOLING
Steady, evenly distributed interior temperature.

BUILT FOR HOTELS
Reliable performance in daily hotel use.

GAS FREE
Thermoelectric cooling without refrigerant gas.

PEL 35 CS

COMPLETE SILENCE. SMART EFFICIENCY. DESIGNED FOR MODERN HOSPITALITY.

Elektromarla PEL 35 CS combines a compact 35 L interior with completely silent Peltier cooling and flexible cabinet integration for modern hospitality spaces.

ABSOLUTELY SILENT OPERATION
Thermoelectric cooling, silent 0 dB operation.

DAILY ENERGY CONSUMPTION
Efficient operation at just 0.50 kWh/24h.

THERMOELECTRIC COOLING
Peltier cooling is dependable and vibration-free.

SOLID DOOR DESIGN
Solid door gives a clean, discreet appearance.

PRACTICAL 35 L INTERIOR
35 L practical storage for guest beverages.


FURNITURE DOOR SLIDER
Optional slider allows seamless cabinet fitting.



TECHNICAL SPECIFICATIONS

Gross Volume	35
Cooling System	THERMOELECTRIC
Temp. Range	3–7 °C
Noise Level	0 dB
Refrigerant	THERMOELECTRIC
Climate Class	N
Voltage	220 - 240 Volt
Dimensions (mm)	385 x 440 x 525
Net Weight	15.0
Loading 20/40	240/500
Package (mm)	450 x 500 x 600
Energy Use	0.50 kWh/24h

DIMENSIONS



ANGLES



IDEAL FOR

HOTELS · RESORTS · CRUISE SHIPS · HOSPITALS

CERTIFICATIONS

CE

TÜVRheinland CERTIFIED

WARRANTY

3 YEARS



SMALL FOOTPRINT. QUIET COMFORT.

A compact 35 L interior and completely silent Peltier cooling bring flexible comfort to hospitality spaces.

0 dB PELTIER
No compressor, no vibration.

ENERGY SAVING
0.50 kWh/24h in continuous operation.

STABLE COOLING
Steady, evenly distributed interior temperature.

BUILT FOR HOTELS
Reliable performance in daily hotel use.

GAS FREE
Thermoelectric cooling without refrigerant gas.

PEL 40 S

PELTIER MINIBAR

SILENT. EFFICIENT. SOLID-STATE COOLING.

Elektromarla PEL 40 S combines completely silent thermoelectric cooling with a practical 40 L solid-door design, delivering compressor-free, vibration-free performance for modern hotel rooms.

ABSOLUTELY SILENT OPERATION
Thermoelectric cooling, silent 0 dB operation.

DAILY ENERGY CONSUMPTION
Efficient operation at just 0.275 kWh/24h.

THERMOELECTRIC COOLING
Peltier cooling is dependable and vibration-free.

SOLID DOOR DESIGN
Solid door gives a clean, discreet appearance.

PRACTICAL 40 L INTERIOR
40 L practical storage for guest beverages.

FURNITURE DOOR SLIDER
Optional slider allows seamless cabinet fitting.

IDEAL FOR

HOTELS · RESORTS · CRUISE SHIPS · HOSPITALS




ANGLES



TECHNICAL SPECIFICATIONS

Gross Volume	40
Cooling System	THERMOELECTRIC
Temp. Range	3–7 °C
Noise Level	0 dB
Refrigerant	R600
Climate Class	N
Voltage	12 V -240 V
Dimensions (mm)	405 x 430 x 525
Net Weight	15.0
Loading 20/40	240/500
Package (mm)	450 x 500 x 600
Energy Use	0.275 kWh/24h

DIMENSIONS



CERTIFICATIONS

CE

TÜVRheinland CERTIFIED

WARRANTY

3 YEARS



SILENT COOLING. SMART CAPACITY.

Completely silent thermoelectric cooling and practical 40 L storage create effortless guest-room comfort.

0 dB PELTIER
No compressor, no vibration.

ENERGY SAVING
0.275 kWh/24h in continuous operation.

STABLE COOLING
Steady control from +3 °C to +7 °C.

BUILT FOR HOTELS
Reliable performance in daily hotel use.

ECO FRIENDLY
No refrigerant gas for a sustainable future.

PEL 40 CS

PELTIER MINIBAR

SILENT. EFFICIENT. SOLID-STATE COOLING.

Elektromarla PEL 40 CS combines completely silent thermoelectric cooling with a 40 L glass-door design and flexible cabinet integration for modern hospitality interiors.

ABSOLUTELY SILENT OPERATION
Thermoelectric cooling, silent 0 dB operation.

DAILY ENERGY CONSUMPTION
Efficient operation at just 0.375 kWh/24h.

THERMOELECTRIC COOLING
Peltier cooling is dependable and vibration-free.

SOLID DOOR DESIGN
Solid door gives a clean, discreet appearance.

PRACTICAL 40 L INTERIOR
40 L practical storage for guest beverages.


FURNITURE DOOR SLIDER
Optional slider allows seamless cabinet fitting.



TECHNICAL SPECIFICATIONS

Gross Volume	40
Cooling System	THERMOELECTRIC
Temp. Range	3–7 °C
Noise Level	0 dB
Refrigerant	R600
Climate Class	N
Voltage	12 V -240 V
Dimensions (mm)	405 x 445 x 525
Net Weight	15.0
Loading 20/40	240/500
Package (mm)	450 x 500 x 600
Energy Use	0.375 kWh/24h

DIMENSIONS



ANGLES



IDEAL FOR

HOTELS · RESORTS · CRUISE SHIPS · HOSPITALS

CERTIFICATIONS

CE

TÜVRheinland CERTIFIED

WARRANTY

3 YEARS



SMART DESIGN. TOTAL SILENCE.

A practical 40 L thermoelectric minibar blends compressor-free performance with seamless cabinet integration.

0 dB PELTIER
No compressor, no vibration.

ENERGY SAVING
0.375 kWh/24h in continuous operation.

STABLE COOLING
Steady control from +3 °C to +7 °C.

BUILT FOR HOTELS
Reliable performance in daily hotel use.

ECO FRIENDLY
No refrigerant gas for a sustainable future.

PEL 45 S

PELTIER MINIBAR

SILENT. EFFICIENT. SOLID-STATE COOLING.

Elektromarla PEL 45 S combines increased 45 L capacity with completely silent thermoelectric cooling and a solid-door design, delivering vibration-free guest-room comfort.

ABSOLUTELY SILENT OPERATION
Thermoelectric cooling, silent 0 dB operation.

DAILY ENERGY CONSUMPTION
Efficient operation at just 0.295 kWh/24h.

THERMOELECTRIC COOLING
Peltier cooling is dependable and vibration-free.

SOLID DOOR DESIGN
Solid door gives a clean, discreet appearance.

PRACTICAL 45 L INTERIOR
45 L practical storage for guest beverages.

FURNITURE DOOR SLIDER
Optional slider allows seamless cabinet fitting.



ANGLES




IDEAL FOR

HOTELS · RESORTS · CRUISE SHIPS · HOSPITALS

TECHNICAL SPECIFICATIONS

Gross Volume	45
Cooling System	THERMOELECTRIC
Temp. Range	3–7 °C
Noise Level	0 dB
Refrigerant	R600
Climate Class	N
Voltage	12 V -240 V
Dimensions (mm)	405 x 485 x 570
Net Weight	16.0
Loading 20/40	210/421
Package (mm)	450 x 550 x 600
Energy Use	0.295 kWh/24h

DIMENSIONS




CERTIFICATIONS

CE

TÜVRheinland CERTIFIED

WARRANTY

3 YEARS



MORE SPACE. ZERO NOISE.

Increased 45 L capacity and completely silent thermoelectric cooling support modern hospitality needs.

0 dB PELTIER
No compressor, no vibration.

ENERGY SAVING
0.295 kWh/24h in continuous operation.

STABLE COOLING
Steady control from +3 °C to +7 °C.

BUILT FOR HOTELS
Reliable performance in daily hotel use.

ECO FRIENDLY
No refrigerant gas for a sustainable future.

PEL 45 CS

PELTIER MINIBAR

SILENT. EFFICIENT. SOLID-STATE COOLING.

Elektromarla PEL 45 CS combines a practical 45 L interior with completely silent thermoelectric cooling and flexible cabinet integration for demanding hospitality environments.

ABSOLUTELY SILENT OPERATION
Thermoelectric cooling, silent 0 dB operation.

DAILY ENERGY CONSUMPTION
Efficient operation at just 0.395 kWh/24h.

THERMOELECTRIC COOLING
Peltier cooling is dependable and vibration-free.

SOLID DOOR DESIGN
Solid door gives a clean, discreet appearance.

PRACTICAL 45 L INTERIOR
45 L practical storage for guest beverages.


FURNITURE DOOR SLIDER
Optional slider allows seamless cabinet fitting.



TECHNICAL SPECIFICATIONS

Gross Volume	45
Cooling System	THERMOELECTRIC
Temp. Range	3–7 °C
Noise Level	0 dB
Refrigerant	R600
Climate Class	N
Voltage	12 V -240 V
Dimensions (mm)	405 x 485 x 570
Net Weight	16.0
Loading 20/40	210/421
Package (mm)	450 x 550 x 600
Energy Use	0.395 kWh/24h

DIMENSIONS



ANGLES



IDEAL FOR

HOTELS · RESORTS · CRUISE SHIPS · HOSPITALS


CERTIFICATIONS

CE

TÜVRheinland CERTIFIED

WARRANTY

3 YEARS



0 dB PELTIER
No compressor, no vibration.

ENERGY SAVING
0.395 kWh/24h in continuous operation.

STABLE COOLING
Steady control from +3 °C to +7 °C.

BUILT FOR HOTELS
Reliable performance in daily hotel use.

ECO FRIENDLY
No refrigerant gas for a sustainable future.

PEL-40 CS All Black

PELTIER MINIBAR

SILENT. EFFICIENT. SOLID-STATE COOLING.

Elektromarla PEL 40 CS combines completely silent thermoelectric cooling with a 40 L glass-door design and flexible cabinet integration for modern hospitality interiors.

ABSOLUTELY SILENT OPERATION
Thermoelectric cooling, silent 0 dB operation.

DAILY ENERGY CONSUMPTION
Efficient operation at just 0.30–0.50 kWh/24h.

ALL-BLACK FINISH
All-black finish for modern hotel interiors.

ADJUSTABLE SHELVES
2 plastic shelves for flexible storage.

PRACTICAL 40 L INTERIOR
40 L practical storage for guest beverages.

INTERIOR LED LIGHT
Optical-sensor LED interior lighting.

IDEAL FOR

HOTELS · RESORTS · CRUISE SHIPS · HOSPITALS




ANGLES



TECHNICAL SPECIFICATIONS

Gross Volume	40
Cooling System	THERMOELECTRIC
Temp. Range	4–10 °C
Noise Level	0 dB
Refrigerant	R600
Climate Class	N
Voltage	220–240 V
Dimensions (mm)	406 x 435 x 525
Net Weight	15.2
Loading 20/40	240/480
Package (mm)	450 x 470 x 580
Energy Use	0.30–0.50 kWh/24h

DIMENSIONS




CERTIFICATIONS

CE

TÜVRheinland CERTIFIED

WARRANTY

3 YEARS



SMART DESIGN. TOTAL SILENCE.

A practical 40 L thermoelectric minibar blends compressor-free performance with seamless cabinet integration.

0 dB PELTIER
No compressor, no vibration.

ENERGY SAVING
0.30–0.50 kWh/24h in continuous operation.

STABLE COOLING
Steady control from +4 °C to +10 °C.

BUILT FOR HOTELS
Reliable performance in daily hotel use.

ALL-BLACK FINISH
A discreet look for modern interiors.

PEL-45 CS All Black

PELTIER MINIBAR

SILENT. EFFICIENT. SOLID-STATE COOLING.

Elektromarla PEL 45 CS combines a practical 45 L interior with completely silent thermoelectric cooling and flexible cabinet integration for demanding hospitality environments.

ABSOLUTELY SILENT OPERATION
Thermoelectric cooling, silent 0 dB operation.

DAILY ENERGY CONSUMPTION
Efficient operation at just 0.30–0.50 kWh/24h.

ALL-BLACK FINISH
All-black finish for modern hotel interiors.

ADJUSTABLE SHELVES
2 plastic shelves for flexible storage.

PRACTICAL 45 L INTERIOR
45 L practical storage for guest beverages.

INTERIOR LED LIGHT
Optical-sensor LED interior lighting.

IDEAL FOR

HOTELS · RESORTS · CRUISE SHIPS · HOSPITALS




ANGLES



TECHNICAL SPECIFICATIONS

Gross Volume	45
Cooling System	THERMOELECTRIC
Temp. Range	4–10 °C
Noise Level	0 dB
Refrigerant	R600
Climate Class	N
Voltage	220–240 V
Dimensions (mm)	405 x 480 x 570
Net Weight	15.8
Loading 20/40	210/421
Package (mm)	450 x 550 x 600
Energy Use	0.30–0.50 kWh/24h

DIMENSIONS



CERTIFICATIONS

CE

TÜVRheinland CERTIFIED

WARRANTY

3 YEARS



CAPACITY MEETS SILENT COMFORT.

A practical 45 L interior and compressor-free thermoelectric cooling deliver calm, reliable guest-room performance.

0 dB PELTIER
No compressor, no vibration.

ENERGY SAVING
0.30–0.50 kWh/24h in continuous operation.

STABLE COOLING
Steady control from +4 °C to +10 °C.

BUILT FOR HOTELS
Reliable performance in daily hotel use.

ALL-BLACK FINISH
A discreet look for modern interiors.



INVERTER MINIBAR

Thanks to its inverter compressor, **it cuts minibar electricity costs by 90%.** Inverter Compressor Minibars run at a very low 23–26 dB and provide much better cooling in hot outdoor environments compared to Absorption System Minibars.

INV-MC40

INVERTER MINIBAR

**SILENT PERFORMANCE. SMART EFFICIENCY.
DESIGNED FOR MODERN HOSPITALITY.**

Elektromarla INV-MC40 combines energy-efficient inverter technology with an elegant glass-door design, delivering reliable cooling performance, quiet operation and clear product visibility for modern hospitality interiors.

VERY LOW ENERGY CONSUMPTION
Advanced inverter technology reduces energy use up to 80%.

ULTRA SILENT OPERATION
Whisper quiet performance with a 23–26 dB noise level.

ENVIRONMENTALLY FRIENDLY
R600a refrigerant with zero ODP and low GWP.

REVERSIBLE DOOR
Right or left opening option for flexible installation.

ADJUSTABLE SHELVES
2 shelves for optimal product arrangement.

INTERIOR LED LIGHT
Soft LED lighting for better visibility and presentation.

IDEAL FOR

HOTELS · RESORTS · CRUISE SHIPS · HOSPITALS




ANGLES



TECHNICAL SPECIFICATIONS

Gross Volume	40
Cooling System	INVERTER
Temp. Range	2–6 °C
Noise Level	23–26 dB
Refrigerant	R600a
Climate Class	N
Voltage	220–240 V
Dimensions (mm)	405 x 450 x 540
Net Weight	18.0
Loading 20/40	165/345
Package (mm)	450 x 500 x 600
Energy Use	0.13 kWh/24h (A+++)

DIMENSIONS



CERTIFICATIONS

CE

TÜVRheinland CERTIFIED

WARRANTY

3 YEARS



VISIBILITY MEETS EFFICIENCY

Elegant glass-door presentation meets energy-efficient inverter cooling for modern hospitality interiors.

ULTRA SILENT
23–26 dB of quiet comfort for guests.

80% LESS ENERGY
Inverter technology for maximum efficiency

PRECISE COOLING
Steady control from +2 °C to +10 °C.

RELIABLE POWER
Consistent performance even in hot climates.

ECO FRIENDLY
R600a refrigerant for a sustainable future.

INV-M40

INVERTER MINIBAR

SILENT PERFORMANCE. SMART EFFICIENCY. DESIGNED FOR MODERN HOSPITALITY.

Elektromarla INV-M40 combines advanced inverter technology with stylish design to deliver outstanding cooling performance with minimal energy consumption and low noise.

VERY LOW ENERGY CONSUMPTION
Advanced inverter technology reduces energy use up to 80%.

ULTRA SILENT OPERATION
Whisper quiet performance with 23 dB noise level.

ENVIRONMENTALLY FRIENDLY
R600a refrigerant with zero ODP and low GWP.

REVERSIBLE DOOR
Right or left opening option for flexible installation.

ADJUSTABLE SHELVES
2 shelves for optimal product arrangement.

INTERIOR LED LIGHT
Soft LED lighting for better visibility and presentation.

IDEAL FOR

HOTELS · RESORTS · CRUISE SHIPS · HOSPITALS




ANGLES



TECHNICAL SPECIFICATIONS

Gross Volume	40
Cooling System	INVERTER
Temp. Range	2–6 °C
Noise Level	23–26 dB
Refrigerant	R600a
Climate Class	N
Voltage	220–240 V
Dimensions (mm)	405 x 450 x 540
Net Weight	17.0
Loading 20/40	165/345
Package (mm)	450 x 500 x 600
Energy Use	0.13 kWh/24h (A+++)

DIMENSIONS




CERTIFICATIONS

CE

TÜVRheinland CERTIFIED

WARRANTY

3 YEARS



PERFORMANCE MEETS DESIGN

Advanced inverter cooling, quiet operation and refined design come together for exceptional guest comfort.

23 dB ULTRA SILENT
Quiet comfort for your guests.

80% LESS ENERGY
Inverter technology for maximum efficiency

PRECISE COOLING
Steady control from +2 °C to +10 °C.

RELIABLE POWER
Consistent performance even in hot climates.

ECO FRIENDLY
R600a refrigerant for a sustainable future.

INV-M45

INVERTER MINIBAR

SILENT PERFORMANCE. SMART EFFICIENCY. DESIGNED FOR MODERN HOSPITALITY.

Elektromarla INV-M45 offers increased storage capacity with advanced inverter cooling technology, providing reliable temperature performance, low energy consumption and quiet operation for demanding hospitality environments.

VERY LOW ENERGY CONSUMPTION
Advanced inverter technology reduces energy use up to 80%.

ULTRA SILENT OPERATION
Whisper quiet performance with 23 dB noise level.

ENVIRONMENTALLY FRIENDLY
R600a refrigerant with zero ODP and low GWP.

REVERSIBLE DOOR
Right or left opening option for flexible installation.

ADJUSTABLE SHELVES
2 shelves for optimal product arrangement.

INTERIOR LED LIGHT
Soft LED lighting for better visibility and presentation.

IDEAL FOR

HOTELS · RESORTS · CRUISE SHIPS · HOSPITALS




ANGLES



TECHNICAL SPECIFICATIONS

Gross Volume	45
Cooling System	INVERTER
Temp. Range	2–6 °C
Noise Level	23–26 dB
Refrigerant	R600a
Climate Class	N
Voltage	220–240 V
Dimensions (mm)	405 x 500 x 570
Net Weight	19.0
Loading 20/40	165/345
Package (mm)	450 x 550 x 600
Energy Use	0.13 kWh/24h (A+++)

DIMENSIONS




CERTIFICATIONS

CE

TÜVRheinland CERTIFIED

WARRANTY

3 YEARS



23 dB ULTRA SILENT
Quiet comfort for your guests.

80% LESS ENERGY
Inverter technology for maximum efficiency

PRECISE COOLING
Steady control from +2 °C to +10 °C.

RELIABLE POWER
Consistent performance even in hot climates.

ECO FRIENDLY
R600a refrigerant for a sustainable future.

INV-MC45

INVERTER MINIBAR

SILENT PERFORMANCE. SMART EFFICIENCY. DESIGNED FOR MODERN HOSPITALITY.

Elektromarla INV-MC45 combines increased storage capacity with an elegant glass-door design and advanced inverter cooling technology, delivering reliable performance, low energy consumption, quiet operation and clear product visibility for modern hospitality environments.

VERY LOW ENERGY CONSUMPTION
Advanced inverter technology reduces energy use up to 80%.

ULTRA SILENT OPERATION
Whisper quiet performance with 23 dB noise level.

ENVIRONMENTALLY FRIENDLY
R600a refrigerant with zero ODP and low GWP.

REVERSIBLE DOOR
Right or left opening option for flexible installation.

ADJUSTABLE SHELVES
2 shelves for optimal product arrangement.

INTERIOR LED LIGHT
Soft LED lighting for better visibility and presentation.

IDEAL FOR

HOTELS · RESORTS · CRUISE SHIPS · HOSPITALS




ANGLES



TECHNICAL SPECIFICATIONS

Gross Volume	45
Cooling System	INVERTER
Temp. Range	2–6 °C
Noise Level	23–26 dB
Refrigerant	R600a
Climate Class	N
Voltage	220–240 V
Dimensions (mm)	405 x 500 x 570
Net Weight	19.0
Loading 20/40	165/345
Package (mm)	450 x 550 x 600
Energy Use	0.13 kWh/24h (A+++)

DIMENSIONS



CERTIFICATIONS

CE

TÜVRheinland CERTIFIED

WARRANTY

3 YEARS



CAPACITY MEETS PRESENTATION

Increased capacity and elegant glass-door visibility combine with efficient inverter cooling for modern hotel rooms.

23 dB ULTRA SILENT
Quiet comfort for your guests.

80% LESS ENERGY
Inverter technology for maximum efficiency

PRECISE COOLING
Steady control from +2 °C to +10 °C.

RELIABLE POWER
Consistent performance even in hot climates.

ECO FRIENDLY
R600a refrigerant for a sustainable future.

INV-MC40 All Black

INVERTER MINIBAR

SILENT PERFORMANCE. SMART EFFICIENCY. DESIGNED FOR MODERN HOSPITALITY.

Elektromarla INV-MC40 All Black Edition pairs advanced inverter cooling with a distinctive all-black glass-door design for quiet, energy-efficient performance in contemporary hotel rooms.

VERY LOW ENERGY CONSUMPTION
Advanced inverter technology reduces energy use up to 80%.

ULTRA SILENT OPERATION
Whisper quiet performance with a 23–26 dB noise level.

ENVIRONMENTALLY FRIENDLY
R600a refrigerant with zero ODP and low GWP.

REVERSIBLE DOOR
Right or left opening option for flexible installation.

ADJUSTABLE SHELVES
2 shelves for optimal product arrangement.

INTERIOR LED LIGHT
Soft LED lighting for better visibility and presentation.

IDEAL FOR

HOTELS · RESORTS · CRUISE SHIPS · HOSPITALS




ANGLES



TECHNICAL SPECIFICATIONS

Gross Volume	40
Cooling System	INVERTER
Temp. Range	2–6 °C
Noise Level	23–26 dB
Refrigerant	R600a
Climate Class	N
Voltage	220–240 V
Dimensions (mm)	406 x 450 x 540
Net Weight	18.0
Loading 20/40	165/345
Package (mm)	450 x 500 x 600
Energy Use	0.13 kWh/24h (A+++)

DIMENSIONS



CERTIFICATIONS

CE

TÜVRheinland CERTIFIED

WARRANTY

3 YEARS



ULTRA SILENT
23–26 dB of quiet comfort for guests.

80% LESS ENERGY
Inverter technology for maximum efficiency

PRECISE COOLING
Steady control from +2 °C to +10 °C.

RELIABLE POWER
Consistent performance even in hot climates.

ECO FRIENDLY
R600a refrigerant for a sustainable future.

INV-MC45 All Black

INVERTER MINIBAR

SILENT PERFORMANCE. SMART EFFICIENCY. DESIGNED FOR MODERN HOSPITALITY.

Elektromarla INV-MC45 All Black Edition combines increased storage capacity with advanced inverter cooling and a sophisticated all-black glass-door design, delivering quiet operation, low energy consumption and clear product visibility for contemporary hospitality interiors.

VERY LOW ENERGY CONSUMPTION
Advanced inverter technology reduces energy use up to 80%.

ULTRA SILENT OPERATION
Whisper quiet performance with 23 dB noise level.

ENVIRONMENTALLY FRIENDLY
R600a refrigerant with zero ODP and low GWP.

REVERSIBLE DOOR
Right or left opening option for flexible installation.

ADJUSTABLE SHELVES
2 shelves for optimal product arrangement.

INTERIOR LED LIGHT
Soft LED lighting for better visibility and presentation.

IDEAL FOR

HOTELS · RESORTS · CRUISE SHIPS · HOSPITALS




ANGLES



TECHNICAL SPECIFICATIONS

Gross Volume	45
Cooling System	INVERTER
Temp. Range	2–6 °C
Noise Level	23–26 dB
Refrigerant	R600a
Climate Class	N
Voltage	220–240 V
Dimensions (mm)	405 x 500 x 570
Net Weight	19.0
Loading 20/40	165/345
Package (mm)	450 x 550 x 600
Energy Use	0.13 kWh/24h (A+++)

DIMENSIONS



CERTIFICATIONS

CE

TÜVRheinland CERTIFIED

WARRANTY

3 YEARS



BOLD DESIGN. GREATER CAPACITY.

An all-black glass-door design, increased capacity and efficient cooling create a distinctive hospitality experience.

23 dB ULTRA SILENT
Quiet comfort for your guests.

80% LESS ENERGY
Inverter technology for maximum efficiency

PRECISE COOLING
Steady control from +2 °C to +10 °C.

RELIABLE POWER
Consistent performance even in hot climates.

ECO FRIENDLY
R600a refrigerant for a sustainable future.

RETRO MINIBAR

Retro minibars combine nostalgic design with modern inverter cooling. Rounded forms and bold colours bring character to hotel rooms, lounges and suites.



RTR-40 Red

RETRO MINIBAR

SILENT PERFORMANCE. SMART EFFICIENCY. DESIGNED FOR MODERN HOSPITALITY.

Elektromarla RTR-40 Red combines a vibrant red finish with a distinctive retro-inspired design, bringing character, practical cooling and a memorable visual accent to hotel rooms and contemporary interiors.

VERY LOW ENERGY CONSUMPTION
Advanced inverter technology reduces energy use up to 80%.

ULTRA SILENT OPERATION
Whisper quiet performance with 23 dB noise level.

ENVIRONMENTALLY FRIENDLY
R600a refrigerant with zero ODP and low GWP.

REVERSIBLE DOOR
Right or left opening option for flexible installation.

ADJUSTABLE SHELVES
2 shelves for optimal product arrangement.

INTERIOR LED LIGHT
Soft LED lighting for better visibility and presentation.

IDEAL FOR

HOTELS · RESORTS · CRUISE SHIPS · HOSPITALS




ANGLES



TECHNICAL SPECIFICATIONS

Gross Volume	45
Cooling System	INVERTER
Temp. Range	2–6 °C
Noise Level	23–29 dB
Refrigerant	R600a
Climate Class	N
Voltage	220–240 V
Dimensions (mm)	410 x 550 x 725
Net Weight	20.0
Loading 20/40	240/500
Package (mm)	460 x 600 x 780
Energy Use	0.18 kWh/24h (A++)

DIMENSIONS




CERTIFICATIONS

CE

TÜVRheinland CERTIFIED

WARRANTY

3 YEARS



BOLD COLOUR. RETRO CHARACTER.

A vibrant red finish and nostalgic design bring warmth, personality and distinctive character to any interior.

23 dB ULTRA SILENT
Quiet comfort for your guests.

80% LESS ENERGY
Inverter technology for maximum efficiency

PRECISE COOLING
Steady control from +2 °C to +10 °C.

RELIABLE POWER
Consistent performance even in hot climates.

ECO FRIENDLY
R600a refrigerant for a sustainable future.

RTR-40 Black

RETRO MINIBAR

**SILENT PERFORMANCE. SMART EFFICIENCY.
DESIGNED FOR MODERN HOSPITALITY.**

Elektromarla RTR-40 Black combines a sophisticated black finish with a distinctive retro-inspired design, delivering practical cooling and a timeless appearance for hotel rooms and contemporary interiors.

VERY LOW ENERGY CONSUMPTION
Advanced inverter technology reduces energy use up to 80%.

ULTRA SILENT OPERATION
Whisper quiet performance with 23 dB noise level.

ENVIRONMENTALLY FRIENDLY
R600a refrigerant with zero ODP and low GWP.

REVERSIBLE DOOR
Right or left opening option for flexible installation.

ADJUSTABLE SHELVES
2 shelves for optimal product arrangement.

INTERIOR LED LIGHT
Soft LED lighting for better visibility and presentation.

IDEAL FOR

HOTELS · RESORTS · CRUISE SHIPS · HOSPITALS




ANGLES



TECHNICAL SPECIFICATIONS

Gross Volume	45
Cooling System	INVERTER
Temp. Range	2–6 °C
Noise Level	23–29 dB
Refrigerant	R600a
Climate Class	N
Voltage	220–240 V
Dimensions (mm)	410 x 550 x 725
Net Weight	20.0
Loading 20/40	240/500
Package (mm)	460 x 600 x 780
Energy Use	0.18 kWh/24h (A++)

DIMENSIONS



CERTIFICATIONS

CE

TÜVRheinland CERTIFIED

WARRANTY

3 YEARS



TIMELESS BLACK.
RETRO SOUL.

A sophisticated black finish gives classic retro styling a refined and timeless contemporary presence.

23 dB ULTRA SILENT
Quiet comfort for your guests.

80% LESS ENERGY
Inverter technology for maximum efficiency

PRECISE COOLING
Steady control from +2 °C to +10 °C.

RELIABLE POWER
Consistent performance even in hot climates.

ECO FRIENDLY
R600a refrigerant for a sustainable future.

RTR-40 Beige

RETRO MINIBAR

SILENT PERFORMANCE. SMART EFFICIENCY. DESIGNED FOR MODERN HOSPITALITY.

Elektromarla RTR-40 Beige combines a soft beige finish with a distinctive retro-inspired design, offering practical cooling and a warm, refined appearance for hospitality and residential interiors.

VERY LOW ENERGY CONSUMPTION
Advanced inverter technology reduces energy use up to 80%.

ULTRA SILENT OPERATION
Whisper quiet performance with 23 dB noise level.

ENVIRONMENTALLY FRIENDLY
R600a refrigerant with zero ODP and low GWP.

REVERSIBLE DOOR
Right or left opening option for flexible installation.

ADJUSTABLE SHELVES
2 shelves for optimal product arrangement.

INTERIOR LED LIGHT
Soft LED lighting for better visibility and presentation.

IDEAL FOR

HOTELS · RESORTS · CRUISE SHIPS · HOSPITALS




ANGLES



TECHNICAL SPECIFICATIONS

Gross Volume	45
Cooling System	INVERTER
Temp. Range	2–6 °C
Noise Level	23–29 dB
Refrigerant	R600a
Climate Class	N
Voltage	220–240 V
Dimensions (mm)	410 x 550 x 725
Net Weight	20.0
Loading 20/40	240/500
Package (mm)	460 x 600 x 780
Energy Use	0.18 kWh/24h (A++)

DIMENSIONS



CERTIFICATIONS

CE

TÜVRheinland CERTIFIED

WARRANTY

3 YEARS



SOFT TONES. TIMELESS STYLE.

A soft beige finish and nostalgic detailing create a warm, elegant and naturally inviting atmosphere.

23 dB ULTRA SILENT
Quiet comfort for your guests.

80% LESS ENERGY
Inverter technology for maximum efficiency

PRECISE COOLING
Steady control from +2 °C to +10 °C.

RELIABLE POWER
Consistent performance even in hot climates.

ECO FRIENDLY
R600a refrigerant for a sustainable future.

RTR-40 Orange

RETRO MINIBAR

SILENT PERFORMANCE. SMART EFFICIENCY. DESIGNED FOR MODERN HOSPITALITY.

Elektromarla RTR-40 Orange combines a bold orange finish with a distinctive retro-inspired design, delivering practical cooling and an energetic visual statement for modern hospitality interiors.



VERY LOW ENERGY CONSUMPTION
Advanced inverter technology reduces energy use up to 80%.

ULTRA SILENT OPERATION
Whisper quiet performance with 23 dB noise level.

ENVIRONMENTALLY FRIENDLY
R600a refrigerant with zero ODP and low GWP.

REVERSIBLE DOOR
Right or left opening option for flexible installation.

ADJUSTABLE SHELVES
2 shelves for optimal product arrangement.

INTERIOR LED LIGHT
Soft LED lighting for better visibility and presentation.

IDEAL FOR

HOTELS · RESORTS · CRUISE SHIPS · HOSPITALS


ANGLES



TECHNICAL SPECIFICATIONS

Gross Volume	45
Cooling System	INVERTER
Temp. Range	2–6 °C
Noise Level	23–29 dB
Refrigerant	R600a
Climate Class	N
Voltage	220–240 V
Dimensions (mm)	410 x 550 x 725
Net Weight	20.0
Loading 20/40	240/500
Package (mm)	460 x 600 x 780
Energy Use	0.18 kWh/24h (A++)

DIMENSIONS



CERTIFICATIONS

CE

TÜVRheinland CERTIFIED

WARRANTY

3 YEARS



VIBRANT COLOUR. ICONIC STYLE.

A bold orange finish transforms retro character into an energetic and memorable interior statement.

23 dB ULTRA SILENT
Quiet comfort for your guests.

80% LESS ENERGY
Inverter technology for maximum efficiency

PRECISE COOLING
Steady control from +2 °C to +10 °C.

RELIABLE POWER
Consistent performance even in hot climates.

ECO FRIENDLY
R600a refrigerant for a sustainable future.

HOTEL SAFES

Hotel safes provide the best protection against unforeseen burglary. They are built to accommodate the most commonly stored items with ease, such as laptops, hard drives & jewellery.

MRL-S-L15

15-INCH LAPTOP SAFE

SECURITY MEETS SIMPLICITY.

Designed for modern hospitality, the EliteLine 15 keeps laptops and guest valuables secure with illuminated access and a 200-event audit trail.

LAPTOP-SIZE INTERIOR
Fits a laptop and guest valuables with room to spare.

LAST 200 AUDIT RECORDS
Track the last 200 opening events for added control.

INTERIOR LED LIGHT
Soft LED lighting for clear visibility inside the safe.

EMERGENCY ACCESS
Master code and mechanical key for emergency opening.

AUTO LOCKOUT
Blocks for 15 minutes after 4 incorrect entries.

ANCHOR-READY BODY
Steel body prepared for secure installation.

IDEAL FOR

HOTELS · RESORTS · CRUISE · HOSPITAL



FEATURES



CARPETED INTERIOR
High-quality carpet inside



BATTERY INCLUDED
4 x AA 1.5 V batteries included



LED INTERIOR LIGHT
Clear visibility inside the safe



SPRING-LOADED DOOR
Automatic spring-loaded door system

TECHNICAL SPECIFICATIONS

External Dim. (mm)	200 x 420 x 370
User Code	3–6 digits
Power Supply	4 x AA 1.5 V (included)
Audit Trail	Last 200 events
Lockout	15 min after 4 wrong entries
Emergency Open	Master code / mechanical key
Interior Lighting	LED interior light
Door System	Automatic spring-loaded door


CERTIFICATIONS

CE · TÜVRheinland CERTIFIED

CEU DEVICE



The CEU Device is a professional hotel safe management tool that supports multiple access methods and records the last 200 access events. It enhances security, access control, and accountability.



THE LAPTOP GOES IN.

A full-size laptop, a passport and a wallet — closed, lit and logged.

ELECTRONIC KEYPAD
3–6 digit guest codes, simple to operate.

200-EVENT AUDIT
Full opening history for housekeeping control.

LED INTERIOR
Lit interior for clear visibility.

AUTO LOCKOUT
Blocks for 15 minutes after 4 wrong entries.

HOTEL ROOM READY
Anchor-ready steel body for guest rooms.

MRL-S-L17

17-INCH LAPTOP SAFE

MORE SPACE. SAME CONFIDENCE.

A spacious 17-inch laptop format protects valuables in suites and premium guest rooms, with interior lighting and a 200-event audit history.

LAPTOP-SIZE INTERIOR
Fits a laptop and guest valuables with room to spare.

LAST 200 AUDIT RECORDS
Track the last 200 opening events for added control.

INTERIOR LED LIGHT
Soft LED lighting for clear visibility inside the safe.

EMERGENCY ACCESS
Master code and mechanical key for emergency opening.

AUTO LOCKOUT
Blocks for 15 minutes after 4 incorrect entries.

ANCHOR-READY BODY
Steel body prepared for secure installation.

IDEAL FOR

HOTELS · RESORTS · CRUISE · HOSPITAL



FEATURES



CARPETED INTERIOR
High-quality carpet inside



BATTERY INCLUDED
4 x AA 1.5 V batteries included



LED INTERIOR LIGHT
Clear visibility inside the safe



SPRING-LOADED DOOR
Automatic spring-loaded door system

TECHNICAL SPECIFICATIONS

External Dim. (mm)	200 x 400 x 450
User Code	3-6 digits
Power Supply	4 x AA 1.5 V (included)
Audit Trail	Last 200 events
Lockout	15 min after 4 wrong entries
Emergency Open	Master code / mechanical key
Interior Lighting	LED interior light
Door System	Automatic spring-loaded door


CERTIFICATIONS

CE · TÜVRheinland CERTIFIED

CEU DEVICE



The CEU Device is a professional hotel safe management tool that supports multiple access methods and records the last 200 access events. It enhances security, access control, and accountability.



ROOM FOR EVERYTHING.

The 17-inch format takes the largest laptops guests bring to a suite.

ELECTRONIC KEYPAD
3-6 digit guest codes, simple to operate.

200-EVENT AUDIT
Full opening history for housekeeping control.

LED INTERIOR
Lit interior for clear visibility.

AUTO LOCKOUT
Blocks for 15 minutes after 4 wrong entries.

HOTEL ROOM READY
Anchor-ready steel body for guest rooms.

MRL-S-STD

STANDARD HOTEL SAFE

COMPACT. FULLY CONTROLLED.

A space-efficient safe with illuminated interior, 3–6 digit guest codes and a 200-event audit trail, for discreet guest-room integration.

COMPACT INTERIOR
Space-efficient capacity for everyday valuables.

LAST 200 AUDIT RECORDS
Track the last 200 opening events for added control.

INTERIOR LED LIGHT
Soft LED lighting for clear visibility inside the safe.

EMERGENCY ACCESS
Master code and mechanical key for emergency opening.

AUTO LOCKOUT
Blocks for 15 minutes after 4 incorrect entries.

ANCHOR-READY BODY
Steel body prepared for secure installation.

IDEAL FOR

HOTELS · RESORTS · CRUISE · HOSPITAL



FEATURES




CARPETED INTERIOR
High-quality carpet inside



BATTERY INCLUDED
4 x AA 1.5 V batteries included



LED INTERIOR LIGHT
Clear visibility inside the safe



SPRING-LOADED DOOR
Automatic spring-loaded door system

TECHNICAL SPECIFICATIONS

External Dim. (mm)	200 x 320 x 230
User Code	3–6 digits
Power Supply	4 x AA 1.5 V (included)
Audit Trail	Last 200 events
Lockout	15 min after 4 wrong entries
Emergency Open	Master code / mechanical key
Interior Lighting	LED interior light
Door System	Automatic spring-loaded door

CERTIFICATIONS

CE · TÜVRheinland CERTIFIED

CEU DEVICE



The CEU Device is a professional hotel safe management tool that supports multiple access methods and records the last 200 access events. It enhances security, access control, and accountability.



SMALL FOOTPRINT. FULL CONTROL.

Fits a wardrobe shelf without giving up the audit trail or the lit interior.

ELECTRONIC KEYPAD
3–6 digit guest codes, simple to operate.

200-EVENT AUDIT
Full opening history for housekeeping control.

LED INTERIOR
Lit interior for clear visibility.

AUTO LOCKOUT
Blocks for 15 minutes after 4 wrong entries.

HOTEL ROOM READY
Anchor-ready steel body for guest rooms.

MRL-S-TOP

TOP-OPENING SAFE

SECURITY FROM ABOVE.

The low-profile, top-opening format brings protected storage into the guest's reach, with laptop-sized capacity and interior lighting.

LAPTOP-SIZE INTERIOR
Fits a laptop and guest valuables with room to spare.

LAST 200 AUDIT RECORDS
Track the last 200 opening events for added control.

INTERIOR LED LIGHT
Soft LED lighting for clear visibility inside the safe.

EMERGENCY ACCESS
Master code and mechanical key for emergency opening.

AUTO LOCKOUT
Blocks for 15 minutes after 4 incorrect entries.

ANCHOR-READY BODY
Steel body prepared for secure installation.

IDEAL FOR

HOTELS · RESORTS · CRUISE · HOSPITAL



FEATURES



CARPETED INTERIOR
High-quality carpet inside



BATTERY INCLUDED
4 x AA 1.5 V batteries included



LED INTERIOR LIGHT
Clear visibility inside the safe



SPRING-LOADED DOOR
Automatic spring-loaded door system

TECHNICAL SPECIFICATIONS

External Dim. (mm)	130 x 400 x 350
User Code	3–6 digits
Power Supply	4 x AA 1.5 V (included)
Audit Trail	Last 200 events
Lockout	15 min after 4 wrong entries
Emergency Open	Master code / mechanical key
Interior Lighting	LED interior light
Door System	Automatic spring-loaded door


CERTIFICATIONS

CE · TÜVRheinland CERTIFIED

CEU DEVICE



The CEU Device is a professional hotel safe management tool that supports multiple access methods and records the last 200 access events. It enhances security, access control, and accountability.



OPENS FROM ABOVE.

A drawer-height safe the guest reaches into, not down into.

ELECTRONIC KEYPAD
3–6 digit guest codes, simple to operate.

200-EVENT AUDIT
Full opening history for housekeeping control.

LED INTERIOR
Lit interior for clear visibility.

AUTO LOCKOUT
Blocks for 15 minutes after 4 wrong entries.

HOTEL ROOM READY
Anchor-ready steel body for guest rooms.

MRL-S-DRW

DRAWER TYPE SAFE

DRAWER ACCESS. ASSURED.

A generous drawer design gives intuitive access to laptops and valuables without disturbing the room's clean lines.

LAPTOP-SIZE INTERIOR
Fits a laptop and guest valuables with room to spare.

LAST 200 AUDIT RECORDS
Track the last 200 opening events for added control.

INTERIOR LED LIGHT
Soft LED lighting for clear visibility inside the safe.

EMERGENCY ACCESS
Master code and mechanical key for emergency opening.

AUTO LOCKOUT
Blocks for 15 minutes after 4 incorrect entries.

ANCHOR-READY BODY
Steel body prepared for secure installation.

IDEAL FOR

HOTELS · RESORTS · CRUISE · HOSPITAL



FEATURES




CARPETED INTERIOR
High-quality carpet inside



BATTERY INCLUDED
4 x AA 1.5 V batteries included



LED INTERIOR LIGHT
Clear visibility inside the safe



SPRING-LOADED DOOR
Automatic spring-loaded door system

TECHNICAL SPECIFICATIONS

External Dim. (mm)	200 x 450 x 370
User Code	3–6 digits
Power Supply	4 x AA 1.5 V (included)
Audit Trail	Last 200 events
Lockout	15 min after 4 wrong entries
Emergency Open	Master code / mechanical key
Interior Lighting	LED interior light
Door System	Automatic spring-loaded door

CERTIFICATIONS

CE · TÜVRheinland CERTIFIED

CEU DEVICE



The CEU Device is a professional hotel safe management tool that supports multiple access methods and records the last 200 access events. It enhances security, access control, and accountability.



SLIDES OUT LIKE A DRAWER.

Full-width access to laptops and valuables, straight from the cabinet.

ELECTRONIC KEYPAD
3–6 digit guest codes, simple to operate.

200-EVENT AUDIT
Full opening history for housekeeping control.

LED INTERIOR
Lit interior for clear visibility.

AUTO LOCKOUT
Blocks for 15 minutes after 4 wrong entries.

HOTEL ROOM READY
Anchor-ready steel body for guest rooms.

MRL-S-PST

PISTOL SAFE

IMMEDIATE ACCESS.

A compact pistol safe with fingerprint, code and key access. The spring-loaded lid opens instantly.



FINGERPRINT ACCESS
Fingerprint, code and key opening in one unit.

QUICK-OPEN LID
Spring-loaded lid for immediate access.

INTERIOR LED LIGHT
Soft LED lighting for clear visibility inside.

EMERGENCY ACCESS
Master code and mechanical key for emergency opening.

AUTO LOCKOUT
Blocks for 5 minutes after 5 incorrect entries.

ANCHOR-READY BODY
Steel body prepared for secure installation.

IDEAL FOR

HOTELS · RESORTS · CRUISE · HOSPITAL

TECHNICAL SPECIFICATIONS

External Dim. (mm)	92 x 330 x 265
User Code	3–6 digits
Power Supply	4 x AA 1.5 V (included)
Audit Trail	Last 200 events
Lockout	15 min after 4 wrong entries
Emergency Open	Master code / mechanical key
Interior Lighting	LED interior light
Door System	Automatic spring-loaded door

CERTIFICATIONS

CE · TÜVRheinland CERTIFIED

FEATURES



LINED INTERIOR



FINGERPRINT & CODE



SECURITY CABLE



READY IN ONE TOUCH.

Fingerprint access and a spring-loaded lid, for when seconds matter.

ELECTRONIC KEYPAD
3–6 digit guest codes, simple to operate.

200-EVENT AUDIT
Full opening history for housekeeping control.

LED INTERIOR
Lit interior for clear visibility.

AUTO LOCKOUT
Blocks for 15 minutes after 4 wrong entries.

HOTEL ROOM READY
Anchor-ready steel body for guest rooms.

KETTLES & KETTLE TRAYS

Hotel kettles and kettle trays provide your customers with a stylish look and home comfort in the hotel room.



MARLA NERO KETTLE

1.2 L DOUBLE WALL HOTEL KETTLE

DOUBLE WALL. COOL TOUCH.

The MARLA Nero Kettle in matte black features double wall construction that keeps the exterior cool to the touch while helping retain heat inside. A 1.2 L capacity and 1200 W element suit contemporary guest rooms.



1.2 L CAPACITY

Ideal volume for hotel-room hot beverage service.

DOUBLE WALL

Cool-touch exterior with better heat retention.

MATTE BLACK FINISH

A refined look for contemporary interiors.

CONCEALED ELEMENT

Cleaner interior and easier maintenance.

ANGLES




TECHNICAL SPECIFICATIONS

Model	MH-1511
Product Type	Hotel Kettle
Capacity	1.2 L
Power	1200 W
Material	Double Wall Construction
Heating System	Concealed Heating Element
Application	Hotel Rooms
Cleaning	Hygienic & Easy to Clean
Voltage	220–240 V AC, 50–60 Hz
Safety	Auto Shut-off, Boil-dry Protection
Warranty	2 Years
Certification	Declaration of Conformity

IDEAL FOR

HOTELS · RESORTS · CRUISE · HOSPITAL



QUIETLY MODERN.

A matte black kettle that completes the contemporary guest room.

1.2 L CAPACITY

Ideal volume for hotel rooms.

DOUBLE WALL

Cool-touch exterior, better heat retention.

MATTE FINISH

A refined contemporary look.

EASY TO CLEAN

Smooth surfaces for quick cleaning.

HOTEL ROOM READY

Designed for modern hospitality needs.

MARLA NERO KETTLE WHITE

1.2 L DOUBLE WALL HOTEL KETTLE

DOUBLE WALL. COOL TOUCH.

The MARLA Nero Kettle in soft white features double wall construction that keeps the exterior cool to the touch while helping retain heat inside. A 1.2 L capacity and 1200 W element bring a light, calm presence to the guest room.



1.2 L CAPACITY
Ideal volume for hotel-room hot beverage service.

DOUBLE WALL
Cool-touch exterior with better heat retention.

SOFT WHITE FINISH
A light, calm presence in the guest room.

CONCEALED ELEMENT
Cleaner interior and easier maintenance.

ANGLES




TECHNICAL SPECIFICATIONS

Model	MH-1511B
Product Type	Hotel Kettle
Capacity	1.2 L
Power	1200 W
Material	Double Wall Construction
Heating System	Concealed Heating Element
Application	Hotel Rooms
Cleaning	Hygienic & Easy to Clean
Voltage	220–240 V AC, 50–60 Hz
Safety	Auto Shut-off, Boil-dry Protection
Warranty	2 Years
Certification	Declaration of Conformity

IDEAL FOR

HOTELS · RESORTS · CRUISE · HOSPITAL



LIGHT AND CALM.

A soft white kettle that brightens the contemporary guest room.

1.2 L CAPACITY
Ideal volume for hotel rooms.

DOUBLE WALL
Cool-touch exterior, better heat retention.

SOFT WHITE
A light, calm guest room presence.

EASY TO CLEAN
Smooth surfaces for quick cleaning.

HOTEL ROOM READY
Designed for modern hospitality needs.

PRIZMA LITE

1.2 L HOTEL KETTLE

FAST BOILING. CLEAN DESIGN.

Prizma Lite is designed for hotel rooms with a stainless steel body and a 1.2 L capacity. Its concealed heating element keeps the interior hygienic and easy to clean, while auto shut-off and boil-dry protection make it safe for unattended guest use.



1.2 L CAPACITY
Ideal volume for hotel-room hot beverage service.

FAST HEATING
1200 W for efficient everyday boiling.

STAINLESS STEEL
Hygienic, durable, and easy to clean.

CONCEALED ELEMENT
Cleaner interior and easier maintenance.

TECHNICAL SPECIFICATIONS

Model	Prizma Lite
Product Type	Hotel Kettle
Capacity	1.2 L
Power	1200 W
Material	Stainless Steel
Heating System	Concealed Heating Element
Application	Hotel Rooms
Cleaning	Hygienic & Easy to Clean
Voltage	220–240 V AC, 50–60 Hz
Safety	Auto Shut-off, Boil-dry Protection
Warranty	2 Years
Certification	CE

TRAY OPTIONS



28 × 23 cm



35 × 20 cm



45 × 25 cm



HOSPITALITY, REFINED.

Designed for modern guest rooms and a premium in-room beverage experience.

1.2 L CAPACITY
Ideal volume for hotel rooms.

1200 W POWER
Fast and efficient boiling performance.

STAINLESS STEEL
Hygienic, durable and easy to clean.

EASY TO CLEAN
Smooth surfaces for quick and easy cleaning.

HOTEL ROOM READY
Designed for modern hospitality needs.

PRIZMA LITE TRAY SET

1.2 L KETTLE & TRAY SET

COMPLETE SET. READY TO SERVE.

The Prizma Lite Tray Set pairs the 1.2 L stainless steel kettle with a matching service tray, giving the guest room a complete beverage station in a single order. Three tray sizes are offered so the set suits the console or desk in any room type.



1.2 L CAPACITY

Ideal volume for hotel-room hot beverage service.

MATCHING TRAY

Kettle and tray supplied as one coordinated set.

THREE TRAY SIZES

28 x 23, 35 x 20 and 45 x 25 cm options.

CONCEALED ELEMENT

Cleaner interior and easier maintenance.

TECHNICAL SPECIFICATIONS

Model	Prizma Lite Tray Set
Product Type	Hotel Kettle Set
Capacity	1.2 L
Power	1200 W
Material	Stainless Steel
Heating System	Concealed Heating Element
Application	Hotel Rooms
Cleaning	Hygienic & Easy to Clean
Voltage	220–240 V AC, 50–60 Hz
Safety	Auto Shut-off, Boil-dry Protection
Warranty	2 Years
Certification	CE

TRAY OPTIONS



28 × 23 cm



35 × 20 cm



45 × 25 cm



ONE SET. EVERY ROOM.

A coordinated kettle and tray that completes the in-room beverage station.

1.2 L CAPACITY

Ideal volume for hotel rooms.

COMPLETE SET

Kettle and tray in one order.

STAINLESS STEEL

Hygienic, durable and easy to clean.

EASY TO CLEAN

Smooth surfaces for quick cleaning.

HOTEL ROOM READY

Designed for modern hospitality needs.

PRIZMA PLUS

0.8 L HOTEL KETTLE

COMPACT. BUILT TO LAST.

Prizma Plus pairs a stainless steel body with a compact 0.8 L capacity and a 1500 W element. Built for repeated daily use, it delivers dependable performance in a form that suits even the smallest guest room service station.



0.8 L CAPACITY
Compact volume for single or twin rooms.

1500 W FAST HEATING
Rapid boiling for everyday hospitality use.

STAINLESS STEEL
Hygienic, durable, and easy to clean.

CONCEALED ELEMENT
Cleaner interior and easier maintenance.

TECHNICAL SPECIFICATIONS

Model	Prizma Plus
Product Type	Hotel Kettle
Capacity	0.8 L
Power	1500 W
Material	Stainless Steel
Heating System	Concealed Heating Element
Application	Hotel Rooms
Cleaning	Hygienic & Easy to Clean
Voltage	220–240 V AC, 50–60 Hz
Safety	Auto Shut-off, Boil-dry Protection
Warranty	2 Years
Certification	Declaration of Conformity

TRAY OPTIONS



28 × 23 cm



35 × 20 cm



45 × 25 cm



SMALL ROOM. FULL SERVICE.

Full in-room beverage service, even in the smallest guest rooms.

0.8 L CAPACITY
Ideal volume for hotel rooms.

1500 W POWER
Fast and efficient boiling performance.

STAINLESS STEEL
Hygienic, durable and easy to clean.

EASY TO CLEAN
Smooth surfaces for quick and easy cleaning.

HOTEL ROOM READY
Designed for modern hospitality needs.

PRIZMA PLUS TRAY SET

0.8 L KETTLE & TRAY SET

COMPACT SET. COMPLETE SERVICE.

The Prizma Plus Tray Set combines the compact 0.8 L stainless steel kettle with a matching service tray for a complete in-room beverage station. Three tray sizes cover everything from compact guest rooms to suites.



0.8 L CAPACITY
Compact volume for single or twin rooms.

MATCHING TRAY
Kettle and tray supplied as one coordinated set.

THREE TRAY SIZES
28 x 23, 35 x 20 and 45 x 25 cm options.

CONCEALED ELEMENT
Cleaner interior and easier maintenance.

TECHNICAL SPECIFICATIONS

Model	Prizma Plus Tray Set
Product Type	Hotel Kettle Tray Set
Capacity	0.8 L
Power	1500 W
Material	Stainless Steel
Heating System	Concealed Heating Element
Application	Hotel Rooms
Cleaning	Hygienic & Easy to Clean
Voltage	220–240 V AC, 50–60 Hz
Safety	Auto Shut-off, Boil-dry Protection
Warranty	2 Years
Certification	Declaration of Conformity

TRAY OPTIONS



28 × 23 cm



35 × 20 cm



45 × 25 cm



0.8 L CAPACITY
Compact volume for hotel rooms.

COMPLETE SET
Kettle and tray in one order.

STAINLESS STEEL
Hygienic, durable and easy to clean.

EASY TO CLEAN
Smooth surfaces for quick cleaning.

HOTEL ROOM READY
Designed for modern hospitality needs.

FANTOM PROKETTLE

1.2 L HOTEL KETTLE

PROFESSIONAL PERFORMANCE.

The Fantom Professional Prokettle 2400KT pairs a stainless steel body with a 1.2 L capacity and a 1500 W element. Engineered for frequent daily use in demanding hospitality environments.



1.2 L CAPACITY

Ideal volume for hotel-room hot beverage service.

1500 W FAST HEATING

Efficient boiling performance for daily use.

STAINLESS STEEL

Hygienic, durable, and easy to clean.

PROFESSIONAL BUILD

Engineered for frequent daily use.

TECHNICAL SPECIFICATIONS


Model	Prokettle 2400KT
Product Type	Hotel Kettle
Capacity	1.2 L
Power	1500 W
Material	Stainless Steel
Heating System	Concealed Heating Element
Application	Hotel Rooms
Cleaning	Hygienic & Easy to Clean
Voltage	220–240 V AC, 50–60 Hz
Safety	Auto Shut-off, Boil-dry Protection
Warranty	2 Years
Certification	Declaration of Conformity

ANGLES









BUILT FOR SERVICE.

Professional-grade performance for hotels that serve around the clock.

1.2 L CAPACITY

Ideal volume for hotel rooms.

1500 W POWER

Fast and efficient boiling performance.

STAINLESS STEEL

Hygienic, durable and easy to clean.

EASY TO CLEAN

Smooth surfaces for quick and easy cleaning.

HOTEL ROOM READY

Designed for modern hospitality needs.

MARLA MH 1080 BLACK

1.0 L HOTEL KETTLE

GLOSS BLACK. SHARP LINES.

The MARLA MH 1080 BLACK combines a glossy black body with a polished metal base and a sculpted handle. A 0.8 L capacity and a high-output 1200 W element deliver rapid boiling with a premium presence.



0.8 L CAPACITY
Compact volume for single guest rooms.

HIGH-OUTPUT ELEMENT
1200 W for efficient everyday boiling.

GLOSS BLACK FINISH
A premium presence in the guest room.

POLISHED METAL BASE
A refined detail that lifts the design.

ANGLES




TECHNICAL SPECIFICATIONS

Model	MARLA MH 1080 BLACK
Product Type	Hotel Kettle
Capacity	0.8 L
Power	1200 W
Material	Double Wall Construction
Heating System	Concealed Heating Element
Application	Hotel Rooms
Cleaning	Hygienic & Easy to Clean
Voltage	220–240 V AC, 50–60 Hz
Safety	Auto Shut-off, Boil-dry Protection
Warranty	2 Years
Certification	Declaration of Conformity

IDEAL FOR

HOTELS · RESORTS · CRUISE · HOSPITAL



PREMIUM PRESENCE.

A gloss black kettle for guest rooms that reward attention to detail.

0.8 L CAPACITY
Ideal volume for hotel rooms.

HIGH-OUTPUT
Very fast boiling performance.

GLOSS FINISH
A premium guest room presence.

EASY TO CLEAN
Smooth surfaces for quick cleaning.

HOTEL ROOM READY
Designed for modern hospitality needs.

MARLA MH 1080 SS

1.0 L STAINLESS STEEL HOTEL KETTLE

BRUSHED STEEL. TIMELESS.

The MARLA MH 1080 SS pairs a brushed stainless steel body with a polished base and a sculpted handle. A 0.8 L capacity and a high-output 1200 W element suit classic and contemporary rooms alike.



0.8 L CAPACITY
Compact volume for single guest rooms.

HIGH-OUTPUT ELEMENT
1200 W for efficient everyday boiling.

STAINLESS STEEL
Hygienic, durable, and easy to clean.

POLISHED METAL BASE
A refined detail that lifts the design.

ANGLES




TECHNICAL SPECIFICATIONS

Model	MARLA MH 1080 SS
Product Type	Hotel Kettle
Capacity	0.8 L
Power	1200 W
Material	Stainless Steel
Heating System	Concealed Heating Element
Application	Hotel Rooms
Cleaning	Hygienic & Easy to Clean
Voltage	220–240 V AC, 50–60 Hz
Safety	Auto Shut-off, Boil-dry Protection
Warranty	2 Years
Certification	Declaration of Conformity

IDEAL FOR

HOTELS · RESORTS · CRUISE · HOSPITAL



TIMELESS METAL.

A brushed steel kettle at home in classic and contemporary rooms alike.

0.8 L CAPACITY
Ideal volume for hotel rooms.

HIGH-OUTPUT
Very fast boiling performance.

BRUSHED STEEL
A timeless metal finish.

EASY TO CLEAN
Smooth surfaces for quick cleaning.

HOTEL ROOM READY
Designed for modern hospitality needs.

HAIR DRYERS

With hair dryers, which are important indicators of the service quality and prestige of your business, you can increase the number of happy customers and leave your competitors behind as a company that has thought about the smallest details.



HOTEL HAIR DRYERS

SONICDRY

PW-B10 HIGH-SPEED DRYER

FAST DRYING. SMART CONTROL.

The MARLA SonicDry PW-B10 combines advanced performance with elegant design. Powered by a 1500 W motor running at 105,000 RPM, it delivers powerful, efficient airflow with negative ion technology to help reduce frizz and enhance shine. Lightweight, ergonomic, and built to last, it's ideal for both home and professional use.

105,000 RPM HIGH-SPEED MOTOR

Powerful airflow for fast and efficient drying.

NEGATIVE ION TECHNOLOGY

Helps reduce frizz and supports smoother, shinier results.

SMART TEMPERATURE CONTROL

Monitors temperature 50 times per second for controlled drying.

CERTIFICATIONS

CE

WARRANTY

3 YEARS

TÜVRheinland CERTIFIED




TECHNICAL SPECIFICATIONS

Power	1500 W
Motor Speed	105,000 RPM
Technology	Negative Ion
Noise Level	Approx. 59 dB
Temp. Control	Smart control (50 meas./ sec)
Air Intake	Dual air intake filter
Speed Settings	2
Temp. Settings	3
Nozzle	Magnetic, detachable
Mounting	Optional wall holder, use while plugged in
Protection	Overheat protection
Design	Lightweight & ergonomic
Construction	Durable body structure
Usage	Home & professional use
Color	Gray

PRODUCT OUTLINE





POWER, REFINED.

Designed for modern hospitality spaces, the SonicDry brings salon-level drying and quiet, everyday comfort to every guest room.

1500W POWER
Fast, effective drying performance.

NEGATIVE ION
Helps reduce static and frizz.

59 dB
Low-noise operation.

2 SPEED / 3 HEAT
Flexible daily control.

OVERHEAT GUARD
Designed for safe use.

HOTEL HAIR DRYERS

2026 COLLECTION

HD-01

OTELLO PRO WHITE

Hotel Hair Dryer



WEIGHT	POWER
582 g	2000 W
SOUND	**SPEED**
68 dB	3 Stage

HD-02

OTELLO PRO BLACK

Hotel Hair Dryer



WEIGHT	POWER
582 g	2000 W
SOUND	**SPEED**
68 dB	3 Stage

HD-03

OTELLO PRO ENERGY WHITE

With Shaving Socket



WEIGHT	POWER
582 g	1.6–2 kW
SOUND	**SPEED**
68 dB	3 Stage

HD-04

OTELLO PRO ENERGY BLACK

With Shaving Socket



WEIGHT	POWER
582 g	1.6–2 kW
SOUND	**SPEED**
68 dB	1 Stage

HD-05

OTELLO PRO SPIRAL WHITE

Hotel Hair Dryer



WEIGHT	POWER
582 g	1.6–2 kW
SOUND	**SPEED**
68 dB	3 Stage

HD-06

OTELLO PRO SPIRAL BLACK

Hotel Hair Dryer



WEIGHT	POWER
582 g	1.6–2 kW
SOUND	**SPEED**
68 dB	3 Stage

HOTEL HAIR DRYERS

2026 COLLECTION

PLATINUM SPIRAL

HD-07

Hotel Hair Dryer



WEIGHT	POWER	SOUND	SPEED
311 g	1350 W	64 dB	2 Stage

PLATINUM PURE

HD-08

Hotel Hair Dryer



WEIGHT	POWER	SOUND	SPEED
311 g	1350 W	64 dB	2 Stage

PLATINUM PURE ENERGY

HD-09

With Shaving Socket



WEIGHT	POWER	SOUND	SPEED
311 g	1350 W	64 dB	2 Stage

PLATINUM FLAT

HD-10

Hotel Hair Dryer



WEIGHT	POWER	SOUND	SPEED
311 g	1350 W	64 dB	2 Stage

HOTEL HAIR DRYERS

2026 COLLECTION

PLATINUM FLAT ENERGY

HD-11

With Shaving Socket



WEIGHT	POWER	SOUND	SPEED
311 g	1350 W	64 dB	2 Stage

PLATINUM COMPACT

HD-12

Hotel Hair Dryer



WEIGHT	POWER	SOUND	SPEED
311 g	1350 W	64 dB	2 Stage

PLATINUM COMPACT ENERGY

HD-13

With Shaving Socket



WEIGHT	POWER	SOUND	SPEED
311 g	1350 W	64 dB	2 Stage

CONCEPT SPIRAL

HD-14

Hotel Hair Dryer



WEIGHT	POWER	SOUND	SPEED
278 g	1350 W	64 dB	1 Stage

HOTEL HAIR DRYERS

2026 COLLECTION

CONCEPT PURE

HD-15

Hotel Hair Dryer



WEIGHT	POWER	SOUND	SPEED
278 g	1350 W	64 dB	1 Stage

CONCEPT PURE ENERGY

HD-16

With Shaving Socket



WEIGHT	POWER	SOUND	SPEED
278 g	1350 W	64 dB	1 Stage

CONCEPT FLAT

HD-17

Hotel Hair Dryer



WEIGHT	POWER	SOUND	SPEED
278 g	1350 W	64 dB	1 Stage

CONCEPT FLAT ENERGY

HD-18

With Shaving Socket



WEIGHT	POWER	SOUND	SPEED
278 g	1350 W	64 dB	1 Stage

HOTEL HAIR DRYERS

2026 COLLECTION

CONCEPT COMPACT

HD-19

Hotel Hair Dryer



WEIGHT	POWER	SOUND	SPEED
278 g	1350 W	64 dB	1 Stage

CONCEPT COMPACT ENERGY

HD-20

With Shaving Socket



WEIGHT	POWER	SOUND	SPEED
278 g	1350 W	64 dB	1 Stage

OTELLO

HD-21

Hotel Hair Dryer



WEIGHT	POWER	SOUND	SPEED
244 g	1350 W	64 dB	1 Stage


OTELLO SPIRAL

HD-22

Hotel Hair Dryer



WEIGHT	POWER	SOUND	SPEED
244 g	1350 W	64 dB	1 Stage



FLOOR EQUIPMENT

Long-lasting and durable products: designed for use in hotel rooms, lounges and offices. Discover equipment from floor trolleys and cleaning supplies to vacuum cleaners.

LUGGAGE RACK

WALNUT, WITH BACKREST

SOLID WOOD. WALL FRIENDLY.

The solid wood luggage rack with backrest gives guests a stable place to open a suitcase while protecting the wall behind it. A folding hardwood frame and four PE straps carry up to 80 kg, and it is offered in walnut and natural to suit the room.



SOLID WOOD FRAME
Solid hardwood built for daily hotel use.

PROTECTIVE BACKREST
Keeps luggage clear of the wall behind.

WOVEN STRAPS
Wide webbing straps support the suitcase evenly.

FOLDS FLAT
Stores compactly when the room is not in use.

FINISH OPTIONS



WALNUT



NATURAL

TECHNICAL SPECIFICATIONS


Model	Walnut, with Backrest
Product Type	Luggage Rack
Dimensions	55 x 47 x 68 cm
Weight	3.1 kg
Material	Solid Wood
Finish	Walnut
Strap	PE Strap x4
Folded Size	55 x 12 x 84 cm
Application	Hotel Rooms
Load Capacity	80 kg

QUICK SETUP

UNFOLD
Open the rack in one motion.

POSITION
Set the backrest against the wall.

SET LUGGAGE
Rest the case on the PE straps.



READY FOR ARRIVAL.

A steady place to set down a suitcase, from the moment the guest walks in.

SOLID WOOD
Durable hardwood construction.

FOLDS FLAT
Stores compactly between stays.

WOVEN STRAPS
Four PE straps for even support.

80 KG CAPACITY
Takes the heaviest guest luggage.

HOTEL ROOM READY
Designed for modern hospitality needs.

LUGGAGE RACK

NATURAL, WITH BACKREST

NATURAL WOOD. WALL FRIENDLY.

The natural solid wood luggage rack with backrest gives guests a stable place to open a suitcase while protecting the wall behind it. A folding hardwood frame and four PE straps carry up to 80 kg, and the light natural finish suits contemporary guest rooms.



SOLID WOOD FRAME
Solid hardwood built for daily hotel use.

PROTECTIVE BACKREST
Keeps luggage clear of the wall behind.

WOVEN STRAPS
Wide webbing straps support the suitcase evenly.

FOLDS FLAT
Stores compactly when the room is not in use.

FINISH OPTIONS



WALNUT



NATURAL

TECHNICAL SPECIFICATIONS


Model	Natural, with Backrest
Product Type	Luggage Rack
Dimensions	55 x 47 x 68 cm
Weight	3.1 kg
Material	Solid Wood
Finish	Natural
Strap	PE Strap x4
Folded Size	55 x 12 x 84 cm
Application	Hotel Rooms
Load Capacity	80 kg

QUICK SETUP

UNFOLD
Open the rack in one motion.

POSITION
Set the backrest against the wall.

SET LUGGAGE
Rest the case on the PE straps.



READY FOR ARRIVAL.

A light natural rack that stands up to constant guest room turnover.

SOLID WOOD
Durable natural hardwood construction.

FOLDS FLAT
Stores compactly between stays.

WOVEN STRAPS
PE straps for even support.

80 KG CAPACITY
Takes the heaviest guest luggage.

HOTEL ROOM READY
Designed for modern hospitality needs.

LUGGAGE RACK

NATURAL, WITHOUT BACKREST

SOLID WOOD. SPACE SAVING.

The backrest-free solid wood luggage rack offers the same folding hardwood frame and four PE straps in a lower, lighter profile. Ideal where the rack sits away from the wall, and offered in walnut and natural.



SOLID WOOD FRAME
Solid hardwood built for daily hotel use.

SLIM PROFILE
A lower silhouette for compact guest rooms.

WOVEN STRAPS
Wide webbing straps support the suitcase evenly.

FOLDS FLAT
Stores compactly when the room is not in use.

FINISH OPTIONS



WALNUT



NATURAL

TECHNICAL SPECIFICATIONS


Model	Natural, without Backrest
Product Type	Luggage Rack
Dimensions	55 x 45 x 55 cm
Weight	2.4 kg
Material	Solid Wood
Finish	Natural
Strap	PE Strap x4
Folded Size	45 x 12 x 70 cm
Application	Hotel Rooms
Load Capacity	80 kg

QUICK SETUP

UNFOLD
Open the rack in one motion.

POSITION
Place it on a flat surface.

SET LUGGAGE
Rest the case on the PE straps.



SIMPLY PRACTICAL.

A slim, steady rack that keeps luggage off the floor and the room in order.

SOLID WOOD
Durable hardwood construction.

FOLDS FLAT
Stores compactly between stays.

WOVEN STRAPS
Four PE straps for even support.

80 KG CAPACITY
Takes the heaviest guest luggage.

HOTEL ROOM READY
Designed for modern hospitality needs.

VANITY MIRRORS

Vanity mirrors provide bright, even LED lighting with 3× magnification for flawless detail in hotel bathrooms.



LED BRASS

LED MAKEUP MIRROR · BRASS

PERFECT LIGHT. PRECISE DETAIL.

Designed for hotel bathrooms, the MARLA LED makeup mirror provides optimal lighting and 3× magnification for flawless results.

3X MAGNIFICATION
High clarity 3× magnifying mirror for precise detail.

LED LIGHTING
Bright, even LED light for perfect visibility.

BRASS BODY
Premium brass construction with elegant finish.

DURABLE & RELIABLE
Built for long-lasting performance in hospitality environments.





PREMIUM FINISH
BRASS

TECHNICAL SPECIFICATIONS

Magnification	3×
Lighting	LED
Color Temperature	6000K
Material	Brass + 304 Stainless Steel
Mirror Diameter	Ø215 mm
Base Diameter	Ø120 mm
Arm Type	Articulated Arm
Mount Type	Wall Mounted
Max. Reach	445 mm
Height	215 mm
Rotation	360°
Voltage	220 V
IP Protection	Yes
Warranty	2 Years

TECHNICAL DRAWINGS





3X MAGNIFICATION
High clarity magnification for precise detail.

LED LIGHTING
Bright, even LED light for clear visibility.

BRASS FINISH
Premium brass body with elegant and durable finish.

360° ROTATION
Fully adjustable mirror with 360° rotation.

BUILT TO LAST
Designed for hospitality use, built to last.

MRL 1006S

LED MAKEUP MIRROR · CHROME

CLEAN LIGHT. CHROME FINISH.

Designed for hotel bathrooms, the MRL 1006S pairs bright, even LED lighting with 3× magnification in a polished chrome body that suits contemporary interiors.

3X MAGNIFICATION
High clarity 3× magnifying mirror for precise detail.

LED LIGHTING
Bright, even LED light for perfect visibility.

CHROME BODY
Polished chrome finish with a clean, modern look.

DURABLE & RELIABLE
Built for long-lasting performance in hospitality environments.





PREMIUM FINISH
CHROME

TECHNICAL SPECIFICATIONS

Magnification	3×
Lighting	LED
Color Temperature	6000K
Material	Brass + 304 Stainless Steel
Mirror Diameter	Ø215 mm
Base Diameter	Ø120 mm
Arm Type	Articulated Arm
Mount Type	Wall Mounted
Max. Reach	445 mm
Height	215 mm
Rotation	360°
Voltage	220 V
IP Protection	Yes
Warranty	2 Years

TECHNICAL DRAWINGS





CLEAN LINES. CLEAR LIGHT.

A chrome finish that disappears into contemporary bathrooms.

3X MAGNIFICATION
High clarity magnification for precise detail.

LED LIGHTING
Bright, even LED light for clear visibility.

CHROME FINISH
Polished chrome body with a clean, modern look.

360° ROTATION
Fully adjustable mirror with 360° rotation.

BUILT TO LAST
Designed for hospitality use, built to last.

MRL 1006S

LED MAKEUP MIRROR · MATTE BLACK

CLEAN LIGHT. MATTE BLACK FINISH.

Designed for hotel bathrooms, the MRL 1006S pairs bright, even LED lighting with 3× magnification in a matte black brass body that suits contemporary interiors.

3X MAGNIFICATION
High clarity 3× magnifying mirror for precise detail.

LED LIGHTING
Bright, even LED light for perfect visibility.

MATTE BLACK BODY
Matte black finish with a bold, modern look.

DURABLE & RELIABLE
Built for long-lasting performance in hospitality environments.





PREMIUM FINISH
MATTE BLACK

TECHNICAL SPECIFICATIONS

Magnification	3×
Lighting	LED
Color Temperature	6000K
Material	Brass + 304 Stainless Steel
Mirror Diameter	Ø215 mm
Base Diameter	Ø120 mm
Arm Type	Articulated Arm
Mount Type	Wall Mounted
Max. Reach	445 mm
Height	215 mm
Rotation	360°
Voltage	220 V
IP Protection	Yes
Warranty	2 Years

TECHNICAL DRAWINGS





MATTE BLACK. BOLD DETAIL.

A matte black finish that brings quiet contrast to contemporary bathrooms.

3X MAGNIFICATION
High clarity magnification for precise detail.

LED LIGHTING
Bright, even LED light for clear visibility.

MATTE BLACK FINISH
Matte black body with a bold, modern look.

HARDWIRED
Fixed electrical connection for a cable-free wall.

BUILT TO LAST
Designed for hospitality use, built to last.

MRL 3015

MAKEUP MIRROR · CHROME

WIDER VIEW. SLIM PROFILE.

Designed for hotel bathrooms, the MRL 3015 combines a Ø200 mm mirror head with a slim chrome arm, giving guests a wider view with 3× magnification.

3X MAGNIFICATION
High clarity 3× magnifying mirror for precise detail.

Ø200 MM HEAD
A larger mirror face for a wider, easier view.

CHROME BODY
Polished chrome finish with a clean, modern look.

DURABLE & RELIABLE
Built for long-lasting performance in hospitality environments.




PREMIUM FINISH
CHROME

TECHNICAL SPECIFICATIONS

Magnification	3×
Material	Brass + 304 Stainless Steel
Mirror Diameter	Ø200 mm
Base Diameter	Ø95 mm
Arm Type	Articulated Arm
Mount Type	Wall Mounted
Max. Reach	425 mm
Height	293 mm
Rotation	360°
Warranty	2 Years

TECHNICAL DRAWINGS





3X MAGNIFICATION
High clarity magnification for precise detail.

Ø200 MM HEAD
A larger face for a wider view.


CHROME FINISH
Polished chrome body with a clean, modern look.

360° ROTATION
Fully adjustable mirror with 360° rotation.

BUILT TO LAST
Designed for hospitality use, built to last.

WELCOME TRAYS

Practical and elegant hospitality trays: Designed for seamless in-room service. Discover refined solutions for hotels, lounges and suites.



WELCOME TRAYS

2026 COLLECTION

WOODEN TRAY 50 x 30

TR-01

Serving & Kettle Tray




DIMENSIONS	MATERIAL	FINISH	COMPATIBLE
50×30×3 cm	Solid Beech	Light Walnut	All Kettles

WOODEN TRAY 50 x 20

TR-02

Serving & Kettle Tray



DIMENSIONS	MATERIAL	FINISH	COMPATIBLE
50×20×3 cm	Solid Beech	Dark Walnut	All Kettles

WOODEN TRAY 20 x 45

TR-03

Serving & Kettle Tray



DIMENSIONS	MATERIAL	FINISH	COMPATIBLE
20×45 cm	Solid Beech	Dark Walnut	All Kettles

WOODEN TRAY 43 x 23

TR-04

Serving & Kettle Tray



DIMENSIONS	MATERIAL	FINISH	COMPATIBLE
43×23×2.5 cm	Solid Beech	Dark Walnut	All Kettles

WELCOME TRAYS

2026 COLLECTION

TR-05

WOODEN TRAY 20 x 50

Serving & Kettle Tray



DIMENSIONS	MATERIAL
20×50 cm	Solid Beech

FINISH	COMPATIBLE
Dark Walnut	All Kettles

TR-06

WOODEN TRAY 35 x 20

Serving & Kettle Tray



DIMENSIONS	MATERIAL
35×20×3 cm	Solid Beech

FINISH	COMPATIBLE
Dark Walnut	All Kettles

TR-07


ABS WELCOME TRAY

Soft Black · Impact-Resistant



DIMENSIONS	MATERIAL
42.5×22.5×3 cm	ABS

FINISH	COMPATIBLE
Matte Black	Ø16 cm Kettles



COMFORT THAT WELCOMES.

Brings quiet order and warmth to in-room service.

SOLID BEECH WOOD
Warm, natural wood finish.

WATER & HEAT RESISTANT
Handles spills and hot cups.

EASY-CLEAN SURFACE
Wipes clean in seconds.

KETTLE COMPATIBLE
Fits MARLA kettle sets.

IRON SET

Practical and durable ironing sets: designed for convenient garment care in hotel rooms and lounges. Discover complete solutions with irons and ironing boards.



IRONING SET

2026 COLLECTION

STEAM IRON & IRONING BOARD

COMPACT. RELIABLE. READY.

The AR 6000 hotel steam iron and the hook-mounted ironing board form a complete in-room set. 2400 W of steam power and a ceramic soleplate handle daily guest use; the board folds and hangs from its own hook for compact storage.



IN THE SET

AR 6000 Hotel Steam Iron

Hook-Mounted Ironing Board


TECHNICAL SPECIFICATIONS

STEAM IRON

Model	AR 6000
Brand	Elektromarla
Power	2400 W
Soleplate	Ceramic
Colour	Black

IRONING BOARD

Brand	Elektromarla
Dimensions	75 x 95 cm
Hanging Hook	Yes
Storage	Hook-mounted



CARE THAT SHOWS.

A complete ironing station, ready in every guest room.

2400 W STEAM POWER
Fast, powerful steam.

CERAMIC SOLEPLATE
Glides smoothly over fabric.

HANGING HOOK STORAGE
Hangs neatly when not in use.

BUILT FOR HOTEL USE
Made for daily guest use.

IRONING ACCESSORIES

2026 COLLECTION

MARLA IRON HOLDER

IA-001

Wall-mounted iron hanger



MATERIAL	FINISH	SIZE	HEIGHT
1.5 mm Steel	Matte Black	127×110 mm	438 mm

GIGI IRONING BOARD

IA-002

Foldable hotel ironing board



SURFACE	COVER	HEIGHT	STORAGE
33×110 cm	Thermal	Adjustable	Hideaway

ARZUM AR 6000

IA-003

Hotel steam iron · Self-clean



POWER	STEAM	TANK	SOLE
2400 W	175 g/min	420 ml	Ceramic

ARZUM AR 683

IA-004

Hotel steam iron · Audible alert



POWER	STEAM	TANK	SOLE
2400 W	170 g/min	420 ml	Ceramic



TELEPHONES

Reliable hotel communication: designed for seamless guest service in hotel rooms, lounges and offices. Discover practical solutions combining durability with effortless functionality.

HOTEL PHONES

2026 COLLECTION

RELIABLE. PRACTICAL. ALWAYS CONNECTED.

Six Karel and Gigaset models with one-touch speed dial, adjustable ringing and wall mounting, in black and white.

01



KAREL TM 902

Black / White

- 10 x two-stage speed dial
- 3-step flash time setting
- Wall mountable

02



KAREL TM 140

Black / White

- Adjustable ringer volume
- Busy & message lamp
- DTMF tone / pulse

03



KAREL TM 142

Black / White

- 10 speed-dial entries
- Handsfree, hold, transfer, mute
- Busy & message lamp

04



KAREL TM 145

White

- 3-line LCD, 5-level backlight
- Handsfree, hold, transfer, redial
- Wall mountable

05



GIGASET DA 210

White / Black

- 10 speed-dial memories
- 9-level ringer volume
- Desk or wall mountable

06



GIGASET DA 310

Black / White

- 4 direct-call keys + 10 speed dials
- Mute key, hearing-aid compatible
- Desk or wall mountable

SPEED DIAL
One-touch memory keys for reception and service.

WALL MOUNTABLE
Space-saving wall mounting on most models.

ADJUSTABLE RING
Ringer volume and melody settings.

MESSAGE LAMP
Busy and message-waiting indicator.

HOTEL READY
Built for daily use in hospitality environments.

FLOOR EQUIPMENT

Long-lasting and durable products: designed for use in hotel rooms, lounges and offices. Discover equipment from floor trolleys and cleaning supplies to vacuum cleaners.



LAUNDRY CART

LAUNDRY COLLECTION CART

STRONG.
SILENT.
STEADY.

Procart 65 carries 260 litres of linen and up to 250 kg on silent, bumpered castors. The 6 mm CPP body resists chemicals and heat and does not rust; braked castors hold it steady on sloped floors, and the push handle is fixed on both sides for comfortable handling indoors and out.

AT A GLANCE

250 kg load capacity

260 litre laundry volume




TECHNICAL SPECIFICATIONS

BODY

Model	Procart 65
Brand	Elektromarla
Body	CPP
Thickness	6 mm
Laundry Bag	Impertex 420

CAPACITY & SIZE

Load Capacity	250 kg
Laundry Volume	260 litres
Dimensions	53 x 91 x 112 cm
Weight	14 kg
Push Handle	Fixed both sides



SILENT CASTORS
Bumpered castors with brakes.

HIGH CAPACITY
250 kg load, 260 litre volume.

6 MM CPP BODY
Chemical and heat resistant.

FIXED HANDLE
Push handle fixed on both sides.

WOODEN TROLLEYS

2026 COLLECTION

Housekeeping trolleys with MDF-lam wooden surfaces in anthracite and Milas finishes

WHC-003



WOODEN DOUBLE-BAG HOUSEKEEPING TROLLEY

Milas · 145 cm

- Dimensions (W×D×H): 145 × 55 × 145 cm
- Doors: Lockable
- Bags: 2 linen bags

WHC-004



WOODEN DOUBLE-BAG LIDDED HOUSEKEEPING TROLLEY

Milas · 143 cm

- Dimensions (W×D×H): 143 × 50 × 130 cm
- Bags: 2 linen bags
- Amenity Tray: 6 compartments

WHC-006



WOODEN SINGLE-BAG HOUSEKEEPING TROLLEY

Milas · 115 cm

- Dimensions (W×D×H): 115 × 50 × 130 cm
- Bags: 1 linen bag
- Amenity Tray: 6 compartments

WHC-001



WOODEN SINGLE-BAG HOUSEKEEPING TROLLEY

Anthracite

- Dimensions (W×D×H): 56 × 102 × 130 cm
- Bags: 1 linen bag
- Surface: MDF-lam

WHC-002



WOODEN DOUBLE-BAG LIDDED HOUSEKEEPING TROLLEY

Anthracite

- Dimensions (W×D×H): 145 × 55 × 145 cm
- Frame: DKP profile, electrostatic paint
- Castors: 2 braked / 2 non-braked

WHC-005



WOODEN DOUBLE-BAG HOUSEKEEPING TROLLEY

Anthracite · 143 cm

- Dimensions (W×D×H): 143 × 50 × 130 cm
- Bags: 2 linen bags
- Side Arms: Foldable



WOODEN SURFACE

MDF-lam surfaces for a warm, hotel-grade finish.



LINEN BAGS

One or two linen bags for efficient collection.



AMENITY TRAY

Six-compartment top tray for guest amenities.



EDGE BUMPERS

Edge bumpers protect walls and corners.



LOCKABLE DOORS

Lockable cabinet doors on selected models.

ROOM TROLLEYS

2026 COLLECTION

PROCART 431

HC-001

Detachable push handle



DIMENSIONS	LOAD	WASTE BAG	WEIGHT
53×148×135 cm	350 kg	120 L	36.3 kg

PROCART 453

HC-002

Drawers & lockable doors



DIMENSIONS	LOAD	WASTE BAG	WEIGHT
53×190×135 cm	350 kg	2×120 L	52.7 kg

PROCART 433

HC-003

Curtained shelves



DIMENSIONS	LOAD	WASTE BAG	WEIGHT
53×190×135 cm	450 kg	2×120 L	43.1 kg

PROCART 430

HC-004

Open shelves



DIMENSIONS	LOAD	WASTE BAG	WEIGHT
53×190×135 cm	450 kg	2×120 L	49 kg

ROOM TROLLEYS

2026 COLLECTION

Heavy-duty 6 mm CPP housekeeping trolleys for daily room service

HC-005



PROCART 434

Drawers & curtained shelves

- Dimensions (W×D×H): 53 × 148 × 135 cm
- Load Capacity: 350 kg
- Waste Bag: 120 L

HC-006



PROCART 400

Compact single-bag

- Dimensions (W×D×H): 54 × 104 × 135 cm
- Load Capacity: 300 kg
- Waste Bag: 120 L

HC-007



PROCART 401

Twin waste bags

- Dimensions (W×D×H): 54 × 144 × 135 cm
- Load Capacity: 400 kg
- Waste Bags: 2 × 120 L



BUILT FOR THE LONG SHIFT.

6 mm CPP bodies and Ø150 castors made for continuous hotel use.

CPP BODY
6 mm CPP body built for continuous hotel use.

LOAD CAPACITY
300 kg to 450 kg carrying capacity.

FOUR SHELVES
Three enclosed shelves plus an open top shelf.

WASTE BAGS
120 L IMPERTEX 420 waste bags.

Ø150 CASTORS
Rubber-tread castors with bumpers and brakes.

VACUUM CLEANERS

2026 COLLECTION

PROMIDI 100 M

VC-001

Dry · HEPA filter



POWER	SUCTION	TANK	WEIGHT
850 W	2150 mmH2O	11 L Steel	10.2 kg

PROMINI 100 P

VC-002

Dry · Dust bag



POWER	SUCTION	TANK	WEIGHT
850 W	2150 mmH2O	11 L ABS	8.8 kg

PROMIDI 250M

VC-003

Wet & dry



POWER	SUCTION	TANK	WEIGHT
1000 W	2200 mmH2O	27 L Steel	11.2 kg

PROMAX 800 M3

VC-004

Wet & dry · 3 motors



POWER	SUCTION	TANK	WEIGHT
3×1000 W	2200 mmH2O	80 L Steel	29.5 kg

CLEANING CARTS

2026 COLLECTION

Mop and press trolleys for floor care

CC-001



PROCARTJET 720S
Double press bucket

- Dimensions (W×D×H): 58 × 73 × 92 cm
- Press Buckets: 2 × 25 L
- Weight: 10 kg

CC-002



PROCARTJET 735S
With 70 L waste bag


- Dimensions (W×D×H): 58 × 96 × 96 cm
- Press Buckets: 25 L + 18 L
- Waste Bag: 70 L

CC-003



PROCARTJET 736S
With accessory buckets

- Dimensions (W×D×H): 77 × 96 × 96 cm
- Press Buckets: 25 L + 18 L
- Extra Buckets: 1 × 12 L + 4 × 6 L



CLEAN FLOORS. ONE CART.

Press buckets, mop set and waste bag together in a single trolley.

PP BODY
6 mm PP body resistant to cleaning chemicals.

PRESS BUCKETS
25 L and 18 L buckets with vertical press.

WASTE BAG
70 L IMPERTEX 420 waste compartment.

MOP SET
Mop holder, mop base and hanger bracket.

Ø80 CASTORS
Rubber-tread castors with bumpers.

SERVICE CARTS

2026 COLLECTION

Service trolleys for food and beverage

SC-001



PROCART 221
Cutlery & waste bins

- Dimensions (W×D×H): 53 × 140 × 99 cm
- Load Capacity: 200 kg
- Bins: 30 L waste + 10 L cutlery

SC-002



PROCART 222
With 120 L waste bag

- Dimensions (W×D×H): 53 × 148 × 102 cm
- Load Capacity: 300 kg
- Waste Bag: 120 L

SC-003



PROCART 220
Open on four sides

- Dimensions (W×D×H): 53 × 108 × 99 cm
- Load Capacity: 200 kg
- Shelves: 3 open shelves



SERVICE IN MOTION.

Quiet, stable trolleys that keep food and beverage service moving.

CPP BODY
6 mm CPP body for daily service use.

THREE SHELVES
Enclosed or fully open shelf versions.

LOAD CAPACITY
200 kg to 300 kg carrying capacity.

CUTLERY BIN
10 L cutlery and 30 L waste bins on PROCART 221.

Ø150 CASTORS
Rubber-tread castors with brakes.

WOODEN HANGERS

2026 COLLECTION

RING HANGER

WH-001

Hotel wooden hanger



DIMENSIONS	MATERIAL	FITTING	TYPE
44×17 cm	Wood	Ring	Standard

HOOK SKIRT HANGER

WH-002

Hotel wooden hanger with clip bar



DIMENSIONS	MATERIAL	FITTING	TYPE
44×19 cm	Wood	Hook	Skirt

RING SKIRT HANGER

WH-003

Hotel wooden hanger with clip bar



DIMENSIONS	MATERIAL	FITTING	TYPE
44×24 cm	Wood	Ring	Skirt

HOOK HANGER

WH-004

Hotel wooden hanger



DIMENSIONS	MATERIAL	FITTING	TYPE
44×22 cm	Wood	Hook	Standard

LOBBY EQUIPMENT

2026 COLLECTION

Barrier posts and bellboy trolleys for the lobby

MATERIAL OPTIONS
Available for all lobby products

STAINLESS TITANIUM BRASS METAL

LB-001



LUXURY BARRIER
Rope post / retractable belt

- Rope: Velvet or silk – red, black, blue
- Base: Wide, heavy base

BC-001



LUGGAGE TROLLEY PENGUEN
Bellboy Trolley

- Dimensions (W×D×H): 65 × 105 × 193 cm
- Platform: Carpeted, full-perimeter bumper
- Castors: 2 braked swivel / 2 fixed

BC-002



FOLDING LUGGAGE TROLLEY
Foldable, space-saving

- Dimensions (W×D×H): 34/83 × 65 × 118 cm
- Wheels: 2 impact-resistant solid wheels



QUEUE MANAGEMENT
Guide and separate guests at entrances.

PREMIUM FINISHES
Stainless, titanium, brass and metal options.

BELLBOY TROLLEY
Stainless steel frame with hanging rail.

CARPETED PLATFORM
Carpet-covered platform protects luggage.

LOBBY & RECEPTION
Built for entrances, lobbies and receptions.

LEATHER ACCESSORIES

Long-lasting and durable products: designed for use in hotel rooms, lounges and offices. Discover accessories from tissue holder boxes and waste bins to service trays.



LEATHER ACCESSORIES

2026 COLLECTION

SOFT TOUCH.
SHARP LINES.
ONE FAMILY.

A complete faux-leather set for the guest room and the front desk. Every piece is finished in the same first-grade faux leather over a rigid MDF, board or salpa core, so folders, trays, holders and pads read as one family.

01



Guest-Room Folder

50 x 10 cm

- 1st-grade faux leather
- 3 mm European board core

02



Kettle Tray

50 x 30 x 5 cm

- 1st-grade faux leather
- 6 mm MDF core

03



Reception Desk Pad

30 x 35 cm

- 1st-grade faux leather
- 3 mm European board core

04



Horizontal Tissue Holder

25 x 14 x 6 cm

- 1st-grade faux leather
- 6 mm MDF core

05



Cube Tissue Box

13 x 13 x 14 cm

- 1st-grade faux leather
- 6 mm MDF core



LEATHER ACCESSORIES

2026 COLLECTION

06



Tea, Coffee & Sugar Box

30 x 40 cm

- 1st-grade faux leather
- 2 mm MDF core

07



Welcome Basket & Magazine Rack

18 x 30 cm

- 1st-grade faux leather
- 2 mm salpa core

08



Notepad Holder

10.5 x 10.5 x 4.5 cm

- 1st-grade faux leather
- 2 mm board core

09



Coaster with Holder

9 x 9 cm

- 1st-grade faux leather
- 2 mm board core

10



TV Remote Holder

14 x 24 cm

- 1st-grade faux leather
- 3 mm European board core

11



Wall Slipper Organizer

35 x 43 cm

- 1st-grade faux leather
- Slipper & info-card pockets

FAUX LEATHER
First-grade faux leather on every piece.

RIGID CORE
2–6 mm MDF, European board or salpa.

ONE FAMILY
Eleven pieces in the same finish.

ROOM & DESK
Guest rooms, reception and offices.

WASTE BINS

2026 COLLECTION

TIDY. DISCREET. ON BRAND.

Leather-covered waste bins with steel or aluminium bodies and an easy-clean cover, for guest rooms, offices and residences.

01



CONICAL LEATHER BIN

24 x 31.5 x 24 cm

- DKP steel inner body
- Leather-covered exterior
- Side carry handles

02



CONICAL BIN · BATTERY BOX

24 x 31.5 x 24 cm

- Integrated waste-battery compartment
- DKP steel body, leather cover
- Side carry handles


03



ROUND ALUMINIUM BIN

22.5 x 27 x 22.5 cm · 7 L

- Aluminium body, leather cover
- Open top with ring lid
- Easy-clean surface



BLENDS IN. STANDS OUT.

Leather-covered bins that suit any room, with optional logo printing and custom colours on request.

LEATHER COVER
Leather-look finish on every bin.

STEEL & ALUMINIUM
DKP steel or aluminium body for daily use.

COLOUR OPTIONS
Custom colours on request.

EASY CLEAN
Smooth surface that wipes clean quickly.

ROOM & OFFICE
Hotels, offices and residences.



Elektromarla

DETAILS MAKE DIFFERENCE

HOTEL EQUIPMENT COLLECTION · 2026

FACTORY

Muratpaşa Mah. Siteler Cd. No: 6/8A Bayrampaşa / İstanbul

P: +90 (212) 545 79 80 · WhatsApp: +90 (544) 870 25 01

SHOWROOM

General Ali Rıza Gürcan Cd. Alparslan İş Merkezi No: 27/C Merter / İstanbul

P: +90 (212) 545 79 81 · WhatsApp: +90 (544) 870 25 01

www.elektromarla.com · info@elektromarla.com